

Western Canada Bat Network Newsletter

Autumn 2013

Issue No. 23

Contents

UPDATES BY REGION

Alberta	
British Columbia	
Saskatchewan	
USA	
White-Nose Syndrome	11
Conferences	
Recent Literature	13
Field Notes	14
Archived Newletters	16
Distribution List	17

Front cover photograph by C. Lausen: Honduran tent-making bat, seen by many delegates of this year's IBRC/NASBR in Costa Rica

UPDATES BY REGION

Alberta

University of Calgary
Bat Lab Update



This past summer, little brown bats moved into the two big bat houses that have been put up in the NWT

Things were pretty quiet over the past summer in terms of field research, while lab work went full-steam ahead! With Jesika Reimer successfully defending her MSc thesis in Spring, full-scale research at her study area in the Northwest Territories took a break. Jes and Laura Kaupas spent about 10 days in the summer at the site to maintain long-term records and assess the feasibility of studying the roosting and foraging ecology of *Myotis septentrionalis*. Laura started her MSc in September and plans to work on a project based in NWT, either following on from some of Jes's findings, or on *M. septentrionalis*, the second most common species in the area. Laura completed her BSc Honours project in spring comparing the morphology and diets of *M. lucifugus* and *M. septentrionalis* at that northern site. During the summer, Erin Baerwald's PhD work on the genetics of migratory bats made huge progress, with the help of Laura and Kaylee Scott working magic in the genetics lab. Erin is sorting through the data to elucidate the migratory origins and pathways of hoary, silver-haired, and red bats, and determine how cohesively families or populations are during migration (i.e. in space and time). Over the past month, we have also started to explore the winter behaviour of *Myotis ciliolabrum* in the prairies, in collaboration with former students Brandon Klug who is now doing a PhD with the Brigham lab at Regina, and Cori Lausen who has studied the winter ecology of bats for some time.

Erin, Laura and Robert all attended the International Bat Meetings in Costa Rica in August and presented papers on their research.



Trees that Jesika Reimer and Laura Kaupas tracked two lactating M. septentrionalis to.

Alberta ESRD

Lisa Wilkinson, Species at Risk Biologist, Alberta Fish and Wildlife Lisa.Wilkinson@gov.ab.ca

We are looking into starting a bat monitoring program next year, using acoustic monitoring as per the North American protocol that is being developed. We would also like to engage Citizen Scientists in monitoring large maternity colonies, so we would like to hear from people who know about well-established colonies. we have also deployed roost loggers in a few caves in Jasper that have the potential to be hibernaculum.

ABAT: We are looking for a new chair or co-chair(s) and hope to have a meeting in December. Contact Lisa Wilkinson if you are interested.

British Columbia

Update on the maternity bat colony on Gandl K'in Gwaayaay, Haida Gwaii

Doug Burles, Kamloops BC fburles@telus.net

Many of you may have heard me speak about the maternity colony of Keen's and Little Brown Myotis located on Gandl K'in Gwaayaay (Hotsprings Island). This colony is unusual in that the bats take advantage of crevices in the cliffs and between boulders that are heated by the hot springs to roost and raise their young. It is also one of the few maternity roosts known for Keen's Myotis. You undoubtedly also heard that when an earthquake struck the region on October 29, 2012, the hot springs suddenly dried up! One of the questions posed by management of Gwaii Haanas National Park Reserve and Haida Heritage Site following the earthquake was "What will become of the bat colony?"

With this question in mind, Dr. Carita Bergman, Charlotte Houston of Gwaii Haanas and I visited the island in June of this year to see just what impact the loss of the hot springs was having on the colony. Our plan was to count the number of bats emerging in the evening and measure temperatures in some of the known roosts. We used three automated recording units combined with three observers spread around the roosts to conduct both visual and recorded emergence counts. We also used Ibutton thermochrons to monitor temperatures within and at the entrance to a known roost crevice that used to be heated by the hot springs. Our initial investigation revealed that, although some hot water was flowing again, none of the known roosts were being heated. In fact, all of the hot water seeps that we found were in the intertidal zone, and thus not available to the bats. Six emergence counts conducted between 12 and 19 June revealed that 15 - 23 bats were still using the roosts, which is very close to the 17 - 25 bats counted in 2012, but well below the 110+ bats using the roosts in the late 1990's. Analysis of the echolocation call recordings revealed that at least 6 of the emerging bats were Keen's Myotis, which is also well below the 35 – 40 that were using the roosts in the 1990's.

The thermochrons placed in the known roost were set to record hourly and left to run for five days. They revealed that temperatures within the crevice were slightly higher than those at the entrance (21.5 oC; range 19.5 - 23.5 oC vs. 19.6 oC; range 14.0 - 26.4 oC) and more stable, indicating that there was some thermal advantage to roosting within the crevice. These temperatures were considerably lower however, than temperatures recorded of 32 - 34 oC recorded in this same crevice in the 1990's.


To fully understand the relative numbers of bats using the Gandl K'in Gwaayaay roosts some background is necessary. This colony has been monitored on an annual basis since 1998 by counting and recording bats as they emerge. These counts have always been carried out during June, a time that, based on previous research, only adult females are using the roosts. Between 1998 and 2007, numbers in this colony varied between 83 and 133 adult females, of which approximately 1/3 were Keen's Myotis. In 2008 however, the population declined to about 70 bats. The population further declined in 2009 to 46, and the most likely reason for this decline became apparent. While conducting an emergence count on 12 June, I observed a Saw-whet Owl fly in at dusk and perch near the entrance to one of the roosts. It remained in the area for about 15 minutes, and from its behaviour it appeared to be looking for emerging bats. The owl was seen

Update on the maternity bat colony on Gandl K'in Gwaayaay, Haida Gwaii continued...

on a number of subsequent occasions, and was again seen in the vicinity of the roosts in 2010; bat numbers in 2010 further declined to 36. No owl was seen on the island in 2011 and bat numbers using the roosts increased to 70, but in 2012 numbers dropped again to 25, even though no owl was seen. Because the Sawwhet owl on Haida Gwaii is listed as a threatened species, no effort could be made to remove the owl.

Based on our investigations from last summer, I conclude that the loss of the hot springs may not, in itself, result in the demise of this maternity colony. We found that there is still some thermal advantage for bats using the roosts, although it is much less than when the hot springs were flowing. More important is the continued presence of the Saw-whet Owl. If it continues to frequent the roosts the colony will soon be abandoned.

Mine Hibernaculum near Nelson gets Two Bat-Friendly Gates Cori Lausen, Wildlife Conservation Society Canada clausen@wcs.org



The gates at Queen Victoria Mine just at the end of the construction/installation phase. Gating team top-bottom, left-right: Brandon Blackmore (welder), Lewis Franklin (welder, fabricator), Phil Whitfield (President Canadian Cave Conservancy), Keri Whitfield (security and logistics), Steve Blackmore (Site Supervisor, design fabricator, BC Search and Rescue), Cassidy Simpson (Director Canadian Cave Conservancy).

Queen Victoria mine, used by at least eight species of bats in the summer, and three species of bats during winter, was identified in 2009 as an important bat hibernaculum in West Kootenay. Through a grant from Sustainable Forestry Initiative and Fish and Wildlife Compensation Program Columbia Basin, this hibernaculum was gated in June 2013. Nature Conservancy Canada administered the project, and many people worked together to see this project through. The following were instrumental in completing this project: Dave Wickstrom, Michael Curnes and Nancy Newhouse (NCC); Juliet Craig (Kootenay Community Bat Program); Irene Manley and Angus Glass (FWCP); Mitch Firman (Golder



Lower Adit gate being constructed on Queen Victoria mine.

Associates); Rhiannon Poupard (Interfor); Cori Lausen (Wildlife Conservation Society Canada); and the whole gating crew (see photo description). Much support was needed for this gating project, and this came in many different forms and from many other supporters: Garth Wiggill (Min FLNRO), John Morrison and George Edney (BC Timber Sales), Dave Wallach (49er Creek Gold Corporation), John Pollock (Nelson), Anne Moody (Min of Energy and Mines).

The gate design and construction was led by Steve Blackmore (Never a Dull Moment), a wildlife enclosure fabricator in Kamloops. Steve worked with Cori Lausen to modify a Bat Conservation International design that would prevent human access but allow all species of bats to continue to use the mine. The silver-haired bat in particular hibernates in this mine, one of the few mines that we know of in the province where this species overwinters in relatively large numbers. As this bat is not typically found hibernating in mines/caves that are gated, how to design a gate that would ensure this species would continue to access it, was unknown; as a precaution, two half-culverts were placed high in the top gate to allow a deeper access point than what the rest of the bars allowed. At the end of August it was determined that this species, along with several others, were still using the mine, and C. Lausen will be returning to the hibernaculum this winter to further assess the success of the gate. Human entry is restricted to summer only, when users can obtain a key from Min FLNRO, FWCP or Kootenay Community Bat Program. Access during winter is restricted to prevent disturbance to hibernating bats. Restriction of access allows education of users about preventing accidental transport of Pseudogymnoascus destructans spores (the fungus that causes White Nose Syndrome). Prior to gating, this mine was often a party site, new graffiti suggested regular use, and a treasure chest and log book suggested it was a geocache site, with some log entries made during winter.

The gate construction crew installed these gates in a matter of a few days, and for a fraction of the cost that many other mines have been gated in B.C. This same crew will most likely be upgrading the gate on Cody Cave in Cody Caves Provincial Park this summer, to make it bat-friendly. Anne Moody of Min. of Energy and Mines attended a workshop last year on bat-friendly mine closures of mines, and it is hopeful that this ministry will start to require consideration of bats in all of their closures. Bat-friendly closures of mines in the Victoria area are underway.

Saskatchewan

University of Regina, Bat Lab Update



A cute little Artibeus hanging under a banana leaf in Costa Rica

Jody Rintoul defended her M.Sc. thesis "The influence of reproduction and roost type on thermoregulation and foraging in big brown bats (*Eptesicus fuscus*). She is currently doing a maternity leave fill in for teaching at the Augustana Campus of the U of Alberta. She is close to submitting a MS based on her thesis work. She attended the Int. bat meetings in Costa Rica and gave a talk.

Brandon Klug attended the bat meetings in Costa Rica.

Ioanna Salvarina is a PhD student at the University of Constance in Germany. She is visiting until mid-October. She is working on aquatic subsidies through bats to terrestrial environments, principally using stable isotope analysis. She attended the meeting in Costa Rica.

I, Mark Brigham, was also in Costa Rica and gave a talk. As well as the bat students above I am also supervising Joe Poissant who is writing up his PhD on bats, two M.Sc. working on grassland songbirds, a MSc working on Common Poorwills and a just started M.Sc. doing some habitat modeling on Sage Grouse. I am also co-supervising a PhD at the University of Pretoria working on thermoregulation by African Nightjars

USA

What? A Spotted Bat in Western Washington!

Greg Falxa, Cascadia Research gregfalxa@gmail.com

On the afternoon of September 18, 2013 there was a flurry of phone, text, and email messages between Meg the bat rehabber, Phil the high school science teacher, and me. The topic was the bat that Phil had in a box, a bat that the school principal had captured earlier that day in a classroom, hanging on a bulletin board. After he scooped it into a container, the principal took it outside to release it, but it didn't fly off as he had hoped. He then took it to Phil, one of the science teachers, who immediately knew that this was not one of the typical bat species for this area. Phil quickly figured out it was a spotted bat, and on the wrong side of the Cascade mountains. In fact, the only record of a Spotted bat in western Washington or Oregon states is an individual found in the Seattle area in November of 2008. There are rocky areas of eastern Washington, Oregon and British Columbia -- east of the Cascade mountain range -- where these bats are routinely heard on summer evenings. However, not much is known about their life histories in the Pacific Northwest, and there have been no specimens in the natural history museums of this region. The closest records are acoustic observations approximately 120 miles (190 km) east of Tacoma, near the Columbia River gorge.



Slater Museum collection number: TSM306333

Back to the story. Phil had received a bat he realized was special. He contacted Meg Lunnum of Happy Valley Bats, Washington's only state permitted bat rehabilitation facility. Meg turns away no bats in need, but she was over 100 miles (160 km) away, and I was only 25 miles (40 km) from the bat, so Meg brought me into the loop. I would care for it while arranging transport to Happy Valley Bats, and made arrangements to meet Phil that evening for the hand-off. In a dark parking lot halfway between our homes I took possession of a beautiful male adult Euderma maculatum. It looked boney and scruffy, but still had enough energy to try some self-defense moves. I took it home, got it to take some water from a cotton ball, and made plans to take it to our local 'rescue friendly' veterinarian the next morning. But the next morning I found the bat slumped at the bottom of its perch, and thought it was dead. When I reached down I was greeted with a hiss, so we headed off to the veterinarian. Hopeful, I stopped by a pet supply shop to pick up some meal worms, but when I arrived at Tumwater Animal Hospital we found an expired bat, still a little warm. After a few photos I took it back to the lab and weighed it: 10.9 grams. Bats of British Columbia lists the mass for 6 Spotted bat specimens, ranging between 16.2 - 21.4 grams. It appeared that this adult Spotted bat was rather emaciated.

After the bat became a lifeless specimen, I contacted Dr. Gary Shugart, the curator for the Slater Museum of Natural History located at the University of Puget Sound. The museum is only 10 miles (16 km) from the school where the bat was found. The museum was not only happy to receive the bat for their collection, but has already featured it in a special display during their public education Bat Night on October 30 (see Bat Night

for details). In its first month at the museum hundred people have viewed it on display and many others have read about it and viewed the photographs of it on the Slater Museum's Facebook pages.

The museum web page had this to say about this specimen:


The specimen was found recently in a local high school classroom near Tacoma and was eventually passed on to Greg Falxa of Cascadia Research. The bat died despite attempts at rescue and was deposited at the Slater. It was prepared as a standard skin/skull voucher specimen with associated issue for genetic analysis and post cranial skeleton and dried muscle for stable isotope analysis. If feasible, stable isotopes might provide clues to the bat's mysterious appearance in western Washington. Typically this species is confined to drier areas of eastern Washington, however they are difficult to find and study. They are migratory so the specimen we received might have been wandering, lost or disoriented migrant. The species status in Washington has yet to be determined.

Our specimen is the 69th spotted bat specimen housed in the 46 institutions in online VertNet consortium. Including the Slater, 13 of 46 institutions have spotted bats. Most of the specimens are from New Mexico (29), Utah (10) and California (8). The Slater specimen is the northern most specimen.

(From https://www.facebook.com/media/set/?set=a.556527481085470.1073741844.124332280971661)

Washington State Bat Conservation Plan

Gary Wiles, WDFW



The Washington Department of Fish and Wildlife has published its new Washington State Bat Conservation Plan, which was authored by staff biologists Gerry Hayes and Gary Wiles. The 138-page plan was prepared to guide conservation activities for bats in the state. The plan is divided into three main chapters and provides Washington-specific information on the state's bats whenever possible. Chapter 1 contains an overview of bat biology, habitat requirements, legal and conservation status, known and potential threats to bats, and relationships to public health. Chapter 2 provides brief accounts for each of the 15 bat species found in Washington, with summary information on historical and current distribution and abundance, identification, taxonomy, habitat, natural history, threats, and conservation measures given for each species. Chapter 3 outlines strategies and tasks needed to implement conservation and protection of bats in the state. Copies of the plan can be downloaded from WDFW's webpage at: http://wdfw.wa.gov/ publications/01504/>

Bat Night at the Slater Museum

Slater Museum Staff, Tacoma WA

The Slater Museum of Natural History, located in Tacoma, WA, houses more than 29,500 mammal specimens, 23,000 bird specimens, 7,500 reptiles and amphibians, 5,000 insects, and 13,000 plants. Most of the specimens are from Washington, Oregon, and elsewhere in western North America, but many have been acquired from other parts of the world through collecting and exchange.

On the evening of October 30th the museum staff and a team of 22 volunteer docents opened the doors and drawers for a public open house to showcase the several thousand bats in the collection. The event was attended by around 220 people -- including students, community members, families, and Bats Northwest members from the Seattle and Olympia areas.

If you are located nearby and interested in volunteering to help improve and maintain the Slater bat collection send an email to *Slatermuseum@pugetsound.edu*. Possible volunteer jobs include identifying and cataloguing the museum's alcoholic bat specimens.



Bat Night facebook page:

https://www.facebook.com/events/341203179349443

Slater Museum web site:

http://www.pugetsound.edu/academics/academic-resources/slatermuseum

Montana Bat Roost Summary Information



Montana's Bat and White-Nose Syndrome Surveillance Efforts

Bryce Maxell, Susan Lenard, & Paul Hendricks- Montana Natural Heritage Program, Helena, MT, <u>bmaxell@mt.gov</u>, (406) 444-3655 Lauri Hanauska-Brown and Kristi Dubois – Montana Fish, Wildlife, and Parks, Helena, MT, <u>Ihanauska-brown@mt.gov</u> Amie Shovlain – Region 1 U.S. Forest Service, Dillon, MT, <u>ashovlain@is.fed.us</u> Jake Chaffin – Montana/Dakotas Bureau of Land Management State Office, Billings, MT, jake_chaffin@blm.gov Hans Bodenhamer and Bigfork High School Cave Club – Bigfork, MT, http://bigforkhighschoolcaveclub Northern Rocky Mountain Grotto of the National Speleological Society, http://www.nrmg.org

Overview

and the low reproductive output of bats, highlight the need to gather baseline information that can be used to mitigate impacts to populations in eastern North America. These conservation issues, Collaborators have also established a nearly statewide array of 48 year-round and powered by solar panels and deep cycle batteries. documentation of nightly activity patterns throughout the year, and round spatial and temporal activity patterns of Montana's bats. Torelative humidity data loggers near known winter bat roosts; most known bat hibernacula in Montana are now being monitored. active year-round, documentation of winter bat roost temperatures more than 1.3 million sound files containing nearly 5 terabytes of information. Highlights to-date include numerous first records of spring months, documentation of temperatures at which bats are Pseudogymnoascus destructans, the cold-adapted soil fungus that causes White-Nose Syndrome and has decimated bat populations. Beginning in the fall of 2011, a collaborative effort was initiated to document roost habitat characteristics and year numerous first records of bat activity during the fall, winter, and passive ultrasonic detector/recorder stations that are deployed issues, including loss of roosting sites, collision and drowning hazards at sites where they forage and drink, barotrauma and Through June 2013, these recording stations have resulted in Montana's bat populations face a wide array of conservation date, collaborators have deployed over 30 temperature and species in regions with previously limited bat survey effort, collisions with wind turbines, and the potential arrival of the potential year-round presence of species previously considered migratory.

Scientific Name Bats of Montana eared Myotis Brown Myotis

Information Needs/Objectives

- Overwintering locations and temperature and relative humidity . Centralization of winter and summer roost site data. of roosting areas.
- Baseline activity levels within and outside of hibernacula.
- Timing, routes, and other correlates of migration. Focal studies at wind energy facilities.

 - Year-round spatial use of landscapes.
- Year-round status information (occupancy rates, sizes of roost aggregations, activity levels).

Acoustic Monitoring Effort

Funders of Long-term Bat Acoustic Monitoring Stations

In addition to surveys of summer roost sites by agency biologists, we have worked with Northern Rocky Mountain Grotto and Bigfork


Roost Site Monitoring

Caves in general and to gather critical baseline information on the summer and winter use of Montana's caves by bats. Cavers and

High School Cave Club to centralize information on Montana's

cave groups have installed cave registers, reported bats and bat sign, installed 30+ temperature and humidity data loggers at bat

winter roosts, reported temperatures near roosting bats, and



provided cave maps with bat locations, other cave biota, and cave features that can be readily used by resource managers. We

consider our collaboration with cavers and caving groups to be a

model for assessing caves and bat populations given the fiscal and training limitations of agencies and agency personnel.

applied glass matt deep cycle batteries. Locations were chosen in order to fill gaps in the statewide network and provide information for local management decisions. Where possible, detectors were We have deployed a statewide network of SM2Bat and SM2Bat+ good solar exposure and limited risk of damage from vandalism, cows, or other hazards. Bat passes that are recorded are being relational databases in order to manage the large volume of bat detector/recorders powered by 30 watt solar panels and 12-volt placed near year-round open water and likely roost habitat with analyzed with the Sonobat 3.0 automated analysis with results passes and in order to easily create summary graphs for site checked by hand. Data is being stored in Microsoft Access specific powerpoints.

Acoustic Monitoring Goals

- Summaries of year-round nightly bat activity levels as measured by the number of bat passes detected, regardises of species
 Purmaries of year-round nightly activity levels of individual bat species
 based on automated Scnobal at analyses in order to ledentify annual
 timing of immergence to and emergence from hibernacula by resident bat
 species and timing of spring and fall migrations by migratory species
 3.Summaries of timing of legitly activity patterns of Individual but species
 based on automated Sonobal 3.0 call id analyses
 A.Correlations of everall but activity and exidividual species with
 temperature and, where possible, wind speed and barometric pressure.
 Secourse Sonobal 3.0 call identification analyses are not always
- reliable, both monthly species presence and minimum temperatures of activity will be verified through hand analyses estavity will be verified through hand analyses (Summarize all information gathered on individual ultrasonic acoustic monitoring devices in site specific powerpoint presentations that can be
- monitoring devices that are deployed across the state in order to identify itandscape characteristics that are associated with different levels of bat activity throughout the year and in order to identify timing, and potentially pathways, of migratory events. readily shared. 7. Collectively summarize information gathered on all ultrasonic acoustic

Cooperators





















Web Resources of Interest

WHITE NOSE SYNDROME

6th Annual White Nose Syndrome Workshop, Boise, Idaho

Cori Lausen, Wildlife Conservation Society Canada clausen@wcs.org

The 2013 USFWS White Nose Syndrome Workshop was in Boise, Idaho 3 – 6 Sept. Approximately 150 workshop participants gathered to discuss the latest research and management issues surrounding WNS.

The most striking progress presented was in Disease Management, specifically in the field of 'biocontrol mechanisms,' including commercially available products and micro-organisms naturally occurring on some bat wings. Lab results were presented for use of chitosan, Trichoderma polysproum, Pseudomonas fluorescens, and Rhodococcus rhodochrous, as ways of using other organisms to inhibit the growth of the White Nose Syndrome fungus, Pseudogymnoascus destructans (Pd). Field trials of some of these methods will be tested in upcoming winters, in mine hibernacula. The use of a volatile chemical produced by Rhodococcus rhodochrous was featured in a recent issue of BATS magazine (http://static.whitenosesyndrome.org/sites/default/files/files/new_hope_in_the_battle_against_wns_bats_ mag summer 2013 1.pdf), and could enable 'air freshener' type objects to be hung in hibernacula to slow progression of WNS.



Little brown myotis in WNS infected cave.

Kate Langwig (University of California, Santa Cruz) presented data on prevalence and timing of Pd spores on bats. She stressed the importance of using genetics rather than trying to culture Pd, as the fungus may not be detectable using the latter technique. For example, 6 weeks after spring emergence, 294 of 304 bats that survived a Pd infected hibernaculum were found negative for Pd using genetics. Fungus could not be cultured from the swabs of the 10 bats that tested positive for Pd, providing evidence that: Pd is killed over the summer, and that tests that culture for the fungus can provide false negative tests. New evidence shows that Pd may be able to not only survive, but possibly grow, in soils (Hazel Barton, Univ of Akron).

Other noteworthy news included a presentation from Jeff Foster (Northern AZ Univ) that despite many samples of Pd from across Europe, the genetic match for the North American strain has still not been found. The relative genetic distance between the North American and European strains suggests that a source outside of Europe (e.g. Asia) cannot be ruled out. Sebastian Puechmaille (Univ College Dublin and Institute of Zoology) applied an ecological niche model based on European Pd, to North America using climatic and altitude variables. He highlighted several areas of Canada that are predicted to be hit hardest by WNS: Labrador, parts of Newfoundland, the Great Lakes area, New Brunswick, BC Coast Mountain range, and the West Kootenay region of BC. Abstracts from this workshop can be accessed: http://static.whitenosesyndrome.org/sites/default/files/files/2013_wns_workshop_abstracts-final.pdf

New! Canadian WNS Coordinator

Allysia Park joined the Canadian Cooperative Wildlife Health Centre (CCWHC) as the national coordinator of Canada's Bat White-nose Syndrome (WNS) response program. She started 26 August 2013, and is based in the Atlantic Regional Centre of the CCWHC at the Atlantic Veterinary College, University of Prince Edward Island, Charlottetown. Allysia has an Honours BSc (2008) from Memorial University (St John's), examining bat foraging behaviour. Her MSc (2010) from Saint Mary's University (Halifax) with Dr. Hugh Broders was entitled Factors affecting the distribution and roost-site selection of bats on the island of Newfoundland.

CONFERENCES

16th International Bat Research Conference and 43rd North America Symposium on Bat Research, Costa Rica

Cori Lausen, Wildlife Conservation Society Canada

Approximately 650 delegates assembled in San Jose, Costa Rica 11 – 15 Aug 2013 for the combined meeting of the International Bat Research Conference (IBRC) and North American Symposium on Bat Research, making this the largest IRBR to date. Fifty-five countries participated, with a total of 436 papers (oral/poster) delivered, 25 of these by Canadian agencies/universities.

Several pre- and post-conference tours were offered, ranging from egg-laying sea turtles to white water rafting. Each tour enabled delegates to mistnet capture bats and explore the amazing bat diversity that Costa Rica has to offer. In most cases, tour participants were rewarded with the opportunity to see roosting *Ecto-phylla alba* (Honduran tent-making bat).

As usual, WNS and wind energy development were key threats discussed. Two talks were given by University of Calgary on wind energy. Erin Baerwald provided new estimates of cumulative fatality rates for North American bats over the past decade, highlighting that while millions of bats have been killed by White Nose Syndrome, millions have also been killed by wind turbines. With a conservative estimate of over 2 million bats killed by wind turbines in the past decade, the need to examine impacts of wind energy development on migratory bat populations has never been stronger. Dr. Robert Barclay, Erin's PhD supervisor at the University of Calgary, presented a compelling argument for trying to regulate individual wind energy development facilities according to cumulative mortalities on a regional/population basis, rather than focussing on the mortalities per turbine, which provides no context for magnitude and impact on bat populations. All conference abstracts can be found at: http://www.ibrc2013.com/pdf/ibrc_2013_abstracts.pdf. And a local Costa Rican newspaper covered the conference: http://www.brc2013.com/pdf/ibrc_2013.com/pdf/ibrc_2013.abstracts.pdf.

Upcoming Conferences

- 2014: October 22-25. NASBR 44, Albany NY, USA
- 2015: October 28- November 1. NASBR 45, Monterey, CA, USA
- 2016: NASBR 46, San Antonio, TX, USA. Dates tbd
- 2017: NASBR 47, bids to be solicited from the East region

RECENT LITERATURE

Arnett, E.B., R.M.R. Barclay and C.D. Hein. 2013. Thresholds for bats killed by wind turbines. Frontiers in Ecology. 11:171.

Arnett, E.B. and E.F. Baerwald. 2013. Impacts of wind energy development on bats: implications for conservation. Pages 435-456 in R.A. Adams and S.C. Pedersen, editors. Bat evolution, ecology, and conservation. Springer Science+Business Media, New York, N.Y., USA.

Clare, E.L., W.O. Symondson, H. Broders, F-H. Fabianek, E. Fraser, A. Mackenzie, A. Boughen, R. Hamilton, C. Willis, F. Martinez, A. Menzies, K. Norquay, R.M. Brigham, J. Poissant, J. Rintoul, R. Barclay, J. Reimer. The diet of *Myotis lucifugus* across Canada: assessing habitat quality and dietary variability. In press Molecular Ecology, Sept. 2013.

Coleman, J.L. and R.M.R. Barclay. 2013. Prey availability and foraging activity of grassland bats in relation to urbanization. Journal of Mammalogy. 94: 1111-1122.

Cory Toussaint, D., R.M. Brigham and A.E. McKechnie. 2013. Thermoregulation in free- ranging *Nycteris the-baica* (Nycteridae) during winter: no evidence of torpor or hibernation. Mammal. Biol. 78: 365 – 368. http://dx.doi.org/10.1016/j.mambio.2012.10.001.

Dzal, Y. and R.M. Brigham. 2013. The tradeoff between torpor use and reproduction in little brown bats (*Myotis lucifugus*) mutually exclusive: Thermoregulatory and foraging strategies of during the reproductive season J. Comp. Physiol. B. 183:279-288. DOI 10.1007/s00360-012-0705-4

Kilgour, R.J. and R.M. Brigham. 2013. The relationships between behavioural types, social context and seasonal period in the gregarious big brown bat (*Eptesicus fuscus*). Ethology 119:189-198. doi: 10.1111/eth.12052.

Kilgour, R.J., P. Faure, and R.M. Brigham. Evidence of social preferences in big brown bats (*Eptesicus fuscus*). In press Can. J. Zoology. Aug. 2013.

Klug, B.J. and R.M.R. Barclay. 2013. Thermoregulation during reproduction in the solitary, foliage-roosting hoary bat (*Lasiurus cinereus*). Journal of Mammalogy. 94: 477-487.

Klug, B.J. and R.M.R. Barclay. 2013. Effect of wind on the accuracy of externally attached, temperature-sensitive radiotransmitters. Wildlife Society Bulletin. Online.

FIELD NOTES

North American Bat Monitoring Program (NABat) – Participation in 2014 Pilot Studies being Sought

Cori Lausen, Wildlife Conservation Society Canada clausen@wsc.org



The last of four workshops for the planning of the North American bat monitoring program took place in Fort Collins, Colorado 4 – 7 Nov 2013. Fifteen biologists/statisticians from diverse agencies, including 2 biologists from Canada (Charles Francis, Canadian Wildlife Service; Cori Lausen, Wildlife Conservation Society Canada) gathered for the final think tank session to establish framework and design. Over the course of the four days, the group worked on writing a technical document, including protocols for gathering acoustics (stationary passive stations and driving transects) and colony count data, which will be released in spring 2014.

The goal of this program is continent-wide monitoring of bats at local to range-wide scales. Data will be collected in a continental 'Bat Population Database' (BPD) and analyzed for trends in relative population abundance and species distributions. This program will provide to biologists and managers "State of North American Bats" reports, trend analyzes to facilitate assessment of impacts of threats such as climate change, White Nose Syndrome, and wind energy development.

The program is designed with the best knowledge to date, although there is much that will be learned in pilot studies to refine the design, and thus it is expected this program will evolve over time. The base unit of the program is 10 km x 10 km grid cells overlaid across Canada, US and Mexico. A weighted random draw will provide a list of grid cells for monitoring. It will be up to agencies such as provincial governments, Parks Canada, NGO's, biologists, Community Bat programs, etc. to 'adopt a grid cell' for long term monitoring. The NABat committee is looking for interested parties to pilot this program in their area(s) during the summer of 2014. Currently, the design is such that 2 – 4 bat detectors would be deployed passively for 4 – 7 nights within one 10 km x 10 km grid cell, and a road within this grid would be driven on 2 nights during this same deployment period. The road could be as long as 30 km and extend into neighboring grid cell(s), and would be driven at 25-30 km/hr with a bat detector/microphone on the roof of the vehicle. Colonies of bats that can be counted should also be included in the BPD data and may be valuable in the overall statistical analyses over time. "Legacy data" for counts of bats done in past years can be incorporated into the BPD, and locating of new summer and winter colonies for future monitoring is encouraged. If you are interested in participating in a pilot study in 2014, or would like more details, contact Cori Lausen clausen@wcs.org.

Photo: Organizing Committee for North American Bat Monitoring Program. Back row: Jonathan Reichard (USFWS), Tushar Kansal (mediator), Tom Ingersoll (Dept of Defence), John Sauer (USGS), Tom Stanley (USGS), Wayne Thogmartin (USGS), Doug Johnson (USGS), Jeremy Coleman (US WNS Coordinator), Pat Field (lead mediator). Front Row: Mylea Bayless (BCI), Kathi Irvine (USGS), Cori Lausen (WCS Canada), Tom Rodhouse (NPS), Susan Loeb (USFS, Chair of NABat), Laura Ellison (USGS), Charles Francis (CWS).

Western Acoustic Monitoring Initiative (WAMI): BatAMP (Acoustic Monitoring Portal) is "Open for Business"!

Cori Lausen, Wildlife Conservation Society Canada clausen@wsc.org

The Western Acoustic Monitoring Initiative (WAMI) network members are now being asked to enter their acoustics metadata into BatAMP, a portal established on Data Basin for the deposition of long term acoustics data. Once you have created an account and entered your data, you will be able to search for temporal and spatial patterns in your own data and/or the larger dataset from across North America. The goal is to have enough data entered into this database that large scale movement patterns of bats, for migration or hibernation, will be realized on a per species basis, informing wind development industries and biologists seeking to understand hibernation patterns and habitats. For more information on how to join the WAMI network, contact Karen Blejwas Karen.blejwas@alaska.gov; and for information on entering data into the Data Basin BatAMP, contact Ted Weller tweller@fs.fed.us, or visit the BatAMP website.


The basic steps for getting started are:

1) Join DataBasin... www.databasin.org and "Become a Member".



2) Become a member of the BatAMP community (or search for BatAMP within DataBasin). http://databasin.org/groups/59d81a3951fd4915909efacbe2317efb





Archived Newsletters

This newsletter first started in Fall 2002. It is produced two times per year and is housed by the Alberta Sustainable Resource Development on the Alberta Bat Action Team website. All past issues can be accessed at the following link:

http://www.srd.alberta.ca/FishWildlife/WildlifeManagement/AlbertaBatActionTeam/ABATProgramsPublications.aspx

WCBN Newsletter Submissions

Please submit all newsletter submissions to Jen Talerico:
western.canada.bat.network@gmail.com
Submissions can be made at any time.

Distribution List

Name	Consil address	Prov/
Name	Email address	State
Ian Agranat	ian@wildlifeacoutics.com	
Kristi Anderson	kanderson@neodox.ca	AB
Lorraine Andrusiak	Lorraine.Andrusiak@keystonewildlife.com	ВС
Robin Annschild	robin@saltspringconservancy.ca	ВС
Ted Antifeau	ted.antifeau@gov.bc.ca	ВС
Doris Audet	auded@augustana.ab.ca	AB
Peter Balagus	Peter.Balagus@stantec.com	AB
Robert Barclay	barclay@ucalgary.ca	AB
Robert Barrett	rcocme@gmail.com	
Erin Baerwald	girlborealis@gmail.com	AB
Janet Bauman	janet.bauman@amec.com	AB
Teodora Berry	Dora_berry@hotmail.com	AB
Vivian Birch-Jones	vivianbj@telus.net	BC
Morgan Black	Sea goin@telus.net	ВС
Karen Blejwas	Karen.blejwas@alaska.gov	AK
Julia Boland	julia.boland88@gmail.com	Internat.
Kristin Bondo	kbondo1@hotmail.com	SK
Steve Bradbury	frogpots@telus.net	AB
Mark Brigham	mark.brigham@uregina.ca	SK
Bob Brett	bob@whistlerbiodiversity.ca	BC
Kent Brown	brownwk@telus.net	AB
Lynne Burns (nee Henderson)	hendersonle 2003@yahoo.ca	NS
Doug Burles	dburles@telus.net	ВС
Tony Burrows	td_burrows@hotmail.com	WY
Lisa Burt	lisa.burt@amec.com	AB
Jaime Bustillo	sdommerlo@yahoo.com	QC
Stephanie Bujold	stephanie.bujold@boralex.com	QC
Gerry Carter	batbum@gmail.com	ON
Lydia Chaisson	lydiachiasson@yahoo.ca	AB
Trudy Chatwin	Trudy.Chatwin@gov.bc.ca	BC
Ross Clarke	Ross.Clarke@bchydro.bc.ca	BC
Walter Clevenger	walter@webtropolis.com	BC/CA
Joanna Coleman	dbscmj@nus.edu.sg	Internat.
Doug Collister	collistr@gmail.com	AB
John Cooper	jcooper@cooperbeauchesne.com	BC
Sarah Mclean (nee Coulter)	sarah.mclean@gov.ab.ca	AB
Juliet Craig	julietcraig@uniserve.com	ВС
Vanessa Craig	vanessa.craig@ecologicresearch.ca	BC
Lisa Crampton	<u>crampton@scs.unr.edu</u>	AB
Karl Cox	Karl_cox@gov.nt.ca	NWT
Martin Davis	mdavis@conumacable.com	ВС
Rita Dixon	rita.dixon@idfg.idaho.gov	ID



Bill Doering	Bill.Doering@powereng.com	ID
Suyapa Dominguez	Edeuco2004@yahoo.ca	QC
Jack Dubois	JDubois@gov.mb.ca	MB
Kristi Dubois	kdubois@mt.gov	MT
Linda Dupuis	ldupius@golder.com	AB
Jason Duxbury	Jason.Duxbury@stantec.com	AB
Orville Dyer	Orville.Dyer@gems4.gov.bc.ca	ВС
Yvonne Dzal	Yvonne.Dzal@gmail.com	SK
Katie Easterling	kathleen.easterling@stantec.com	ON
Derek Ebner	Derek.Ebner@stantec.com	AB
Jason Edworthy	jedworthy@visionquestwind.com	AB
Carol Engstrom	Carol.Engstrom@huskyenergy.com	AB
Michelle Evelyn	mjevelyn@gmail.com	ВС
Scott Falkingham	scott@falkingham.ca	MB
Greg Falxa	gregfalxa@gmail.com	WA
Dashiell Feierabend	dsfeierabend@gmail.com	AK
Mitch Firman	mfirman@golder.com	ВС
Jason Fisher	Jason.Fisher@arc.ab.ca	AB
Mike Fournier	mike.fournier@ec.gc.ca	NT
Shawn Freeman	sfreeman@rescan.com	ВС
Laura Friis	laura.friis@shaw.ca	ВС
Stephanie Fuller	sfuller@eba.ca	AB
Wendy Gardner	wendykev@telusplanet.net	AB
Angus Glass	Angus.glass@bchydro.bc.ca	ВС
Stephen Glendinning	Stephen_glendinning@golder.com	AB
Chris Godwin-Sheppard	chris.godwin@shaw.ca	AB
Purnima Govindarajulu	Purnima.Govindarajulu@gov.bc.ca	ВС
Scott Grindal	Scott.D.Grindal@conocophillips.com	AB
Jeff Gruver	jgruver@west-inc.com	WY
Robin Gutsell	robin.gutsell@gov.ab.ca	AB
Brenda Hamilton	birdchic@telusplanet.net	AB
Blair Hammond	blair.hammond@ec.gc.ca	ВС
Matt Heavner	Matt.heavner@uas.alaska.edu	AK
Paul Hendricks	phendricks@mt.gov	MT
Anne Hetherington	Anne.Hetherington@gov.bc.ca	ВС
Thomas Hill	Thomas.hill@bchydro.bc.ca	ВС
Dave Hobson	dave.hobson@gov.ab.ca	AB
Jennifer Holifield	jholifield@fs.fed.us	MT
Susan Holroyd	susanlholroyd@hotmail.com	AB
Gary Hornbeck	hornbeck@telusplanet.net	AB
Anne Hubbs	anne.hubbs@gov.ab.ca	AB
Francis Iredale	Francis.Iredale@gov.bc.ca>	ВС
Sharon Irwin	Sharon.Irwin@pc.gc.ca	NT
Larry Ingham	Larry.Ingham@BCHydro.bc.ca	ВС
Leigh Anne Isaac	laisaac@gmail.com	ВС
Barb Johnston	barb.johnston@pc.gc.ca	AB
Pierre Johnstone	pierre.johnstone@gov.bc.ca	ВС
Thomas Jung	Thomas.Jung@gov.yk.ca	YK



Matina Kalcounis-Rüppell	matina kalcounis@uncg.edu	NC
Lesley Kalmakoff	Lesley.kalmakoff@calgary.ca	AB
Laura Kaupas	laurakaupas@gmail.com	AB
Christine Kent	ckent@rescan.com	ВС
Stacia Keenan	aidenk@telus.net	AB
Mandy Kellner	myotis@telus.net	ВС
Allicia Kelly	Allicia Kelly@gov.nt.ca	NT
Julia Kilgour	julia.kilgour@utoronto.ca	ON
Brandon Klug	bjklug@gmail.com	AB
Julie Kline	Julie.Kline@gov.bc.ca	ВС
Kristen Kolar	kolar11k@uregina.ca	SK
Terry Krause	Terry.Krause@gov.ab.ca	AB
Paul Langevin	plange02@telus.net	ВС
Cori Lausen	corilausen@birchdalebc.ca	BC
Susan Leech	beisleech@shaw.ca	BC
Janene Lichtenberg	janenel@cskt.org	MT
Jon Lucas	Varanus7@charter.net	WA
Tanya Luszcz	tluszcz@yahoo.com	BC
Bryce Maxell	bmaxell@mt.gov	MT
K. Anré McIntosh	Anre.McIntosh@bchydro.com	ВС
Jackie Metheny	jd metheny@hotmail.com	SK/NC
Miranda Milam	milam20m@uregina.ca	SK
Rhonda Millikin	rmillikin@echotrack.com	BC
Chesed Mindorff	ces_a_mindorff@hotmail.com	AB
Derek Morningstar	Derek_Morningstar@golder.com	ON
Dave Nagorsen	mammalia@shaw.ca	BC
Richard Novy	Richard Novy@golder.com	AB
Lisa Nutt	Inutt@fs.fed.us	ID
Cory Olsen	colson@ualberta.net	AB
Marc Obert	Marc.obert@stantec.com	AB
Pat Ormsbee	pormsbee@fs.fed.us	OR
Brian Paterson	bpaterson@hemmera.com	BC
Dale Paton	ptarmig@telusplanet.net	AB
Krista Patriquin	lasiurus cin@yahoo.ca	NS
Kirsten Pinney	kpinney@matrix-solutions.com	AB
Delanie Player	dplayer@matrixsolutions.com	AB
Aaron Poe	apoe@fs.fed.us	AK
Joe Poissant	ayresx@gmail.com	SK
Richard Popko	Richard Popko@gov.nt.ca	NT
Norma Powell	n.powell.neuper@gmail.com	ВС
Joanna Preston	joanna.preston@stantec.com	ВС
Margo Pybus	margo.pybus@gov.ab.ca	AB
Daniela Rambaldini	daniela.rambaldini@gmail.com	SK
Lea Randall	learandall@ gmail.com	AB
Aaron Reid	aakreid@telus.net	BC
Jesika Reimer	Jesika.reimer@gmail.com	AB
Sharon Ringel	sringel@shaw.ca	TX
Roger Rodriguez	roger@zotzeco.com]	AB
- 0		



Kent Russell	kentrussell1@hotmail.com	ВС
Erin Rutherford	erutherford@scbat.org	
Helen Schwantje	Helen.Schwantje@gov.bc.ca	BC
Sam Skalak	Sskalak1@gmail.com	MT
Mike Sarell	ophiucon@vip.net	BC
Tim Schowalter	tim.schowalter@gmail.com	AB
Dave Schirokauer	Dave Schirokauer@nps.gov	AK
Amie Shovlain	ashovlain@fs.fed.us	MT
Brian Slough	slough@northwestel.net	YK
Lara Smandych	Lara.Smandych@shell.com	AB
Winston Smith	winstonsmith@fs.fed.us	ΑK
Marian Snively	Marian.snively@alaska.gov	AK
Sherwood Snyder	sherwoodsnyder@me.com	
Dan Soprovich	dsop@mymts.net	MB
Katharine Staiger	KStaiger@nwcc.bc.ca	ВС
Carol Stefan	cstefan@golder.com	AB
Kari Stuart-Smith	Kari.Stuart-Smith@canfor.com	
Jen Talerico	jentalerico@gmail.com	AB
Jenny Taylor	jctaylor@fs.fed.us	ID
David Tessler	David_Tessler@fishgame.state.ak.us	AK
Brent Thiessen	b.thiessen@eclenvironmental.ca	BC
Melissa Todd	Melissa.Todd@gov.bc.ca	ВС
Jill Viccars	Jill.Viccars@cenovus.com	AB
Alasdair Veitch	Alasdair_Veitch@gov.nt.ca	NT
Drajs Vujnovic	Drajs.Vujnovic@gov.ab.ca	AB
Megan Watters	Megan.Watters@gov.bc.ca	BC
Greg Wagner	elkman@telusplanet.net	AB
Megan Watters	mwatters@stantec.com	AB
Lisa Wilkinson	<u>Lisa.Wilkinson@gov.ab.ca</u>	AB
Craig Willis	c.willis@uwinnipeg.ca	MB
Shari Willmott	islandgisservices@gmail.com	BC
Joanna Wilson	Joanna_Wilson@gov.nt.ca	NT
Bob Young	<pre>Hanging_out@thebatcave.ca</pre>	AB

Please send Jen Talerico your updated email address: $\underline{western.canada.bat.network@gmail.com}$

