

British Columbia Bat Literature

March 15, 2024

RESEARCH AREA.....	2
FORAGING AND DIET	2
REGIONAL SURVEYS / INVENTORY	2
ROOST ECOLOGY	3
<i>Anthropogenic Roosts</i>	3
<i>Natural Roosts</i>	4
MANAGEMENT PRACTICES.....	5
MIGRATION	6
WIND ENERGY	6
WINTER ECOLOGY.....	6
MISCELLANEOUS.....	7
BAT GUILD	8
<i>MYOTIS SPP.</i>	8
<i>LASIURUS AND LASIONYCTERIS</i> (TREE BATS)	10
SPOTTED BATS, PALLID BATS, AND BIG-EARED BATS.....	11
COSEWIC ASSESSMENTS.....	12
ANNUAL REPORTS.....	12
BRITISH COLUMBIA COMMUNITY BAT PROGRAM	12
CANADIAN WILDLIFE HEALTH COOPERATIVE	12
NORTH AMERICAN BAT MONITORING PROGRAM	13

Research area

Foraging and Diet

1. Lauzon A. 2019 Long-term effects of forest harvesting on habitat use by insectivorous bats. Master's Thesis, University of Regina. See [https://ourspace.uregina.ca/items/37b507e8-1793-488d-9014-9717b5994961#:~:text=Lauzon Audrey MSC BIOL Fall2019.pdf%20\(1.52%20MB\)](https://ourspace.uregina.ca/items/37b507e8-1793-488d-9014-9717b5994961#:~:text=Lauzon Audrey MSC BIOL Fall2019.pdf%20(1.52%20MB)).
2. Rambaldini DA, Brigham RM. 2011 Pallid bat (*Antrozous pallidus*) foraging over native and vineyard habitats in British Columbia, Canada. *Can. J. Zool.* **89**, 816–822. (doi:[10.1139/z11-053](https://doi.org/10.1139/z11-053))
3. Burles DW, Brigham RM, Ring RA, Reimchen TE. 2008 Diet of two insectivorous bats, *Myotis lucifugus* and *Myotis keenii*, in relation to arthropod abundance in a temperate Pacific Northwest rainforest environment. *Canadian Journal of Zoology* **86**, 1367–1375. (doi:<https://doi.org/10.1139/Z08-125>)
4. Kellner AME, Harestad AS. 2005 Diets of bats in coastal rainforests on Vancouver Island, British Columbia. *Northwestern Naturalist* **86**, 45–48. (doi:[10.1898/1051-1733\(2005\)086\[0045:DOBICR\]2.0.CO;2](https://doi.org/10.1898/1051-1733(2005)086[0045:DOBICR]2.0.CO;2))
5. Kellner AM. 1999 Activity and roost selection of bats in montane forests of northern Vancouver Island. Master's Thesis, Simon Fraser University. See https://www.nlc-bnc.ca/obj/s4/f2/dsk1/tape7/PQDD_0024/MQ51375.pdf.
6. Brigham RM, Aldridge H, Mackey RL. 1992 Variation in habitat use and prey selection by Yuma bats, *Myotis yumanensis*. *Journal of Mammalogy* **73**, 640–645. (doi:doi.org/10.2307/1382036)
7. Balcombe JP, Fenton MB. 1988 Eavesdropping by bats: the influence of echolocation call design and foraging strategy. *Ethology* **79**, 158–166.
8. Lunde RE, Harestad AS. 1986 Activity of little brown bats in coastal forests. *Northwest science*. **60**. (https://rex.libraries.wsu.edu/esploro/fulltext/journalArticle/Activity-of-Little-Brown-Bats-in/99900503001001842?repId=12332857060001842&mId=13333056110001842&institution=01ALLIANCE_WSU)

Regional Surveys / Inventory

1. Slough BG, Lausen CL, Paterson B, Hansen IJ, Thomas JP, Kukka PM, Jung TS, Rae J, De Wetering DV. 2022 New records about the diversity, distribution, and seasonal activity patterns by bats in Yukon and northwestern British Columbia. *Northwestern Naturalist* **103**. (doi:[10.1898/NWN21-10](https://doi.org/10.1898/NWN21-10))
2. Evelyn M, Stiles D. 2020 Conservation of bats and their habitat in Clowhom Watershed. See: https://a100.gov.bc.ca/pub/acat/documents/r59047/COA_F20_W_3117_1613501189081_F301B2B86F.pdf
3. Nunez F, Palmer C. 2019 Site C vegetation and wildlife Portage Mountain bat studies: Fall 2017 to Fall 2018. , 1–76.
4. Paterson B, Hansen I-J, Lausen C. 2018 Williston reservoir bat ecology program FWCP project No. PEA-F18-W-2319. , 1–35.
5. Sarell BM, Alcock W. 2017 Bat hibernacula assessment for Portage Mountain. , 1–31.
6. Paterson B, Hansen I, Lausen C. 2017 Williston reservoir bat ecology program FWCP project No. PEA-F17-W-1484. , 1–47.
7. Ommundsen P, Lausen C, Matthias L. 2017 First acoustic records of the Brazilian free-tailed bat (*Tadarida brasiliensis*) In British Columbia. *Northwestern Naturalist* **98**, 132–136. (doi:[10.1898/NWN16-24.1](https://doi.org/10.1898/NWN16-24.1))
8. Hansen I, Paterson B, Lausen DC. 2016 Williston reservoir bat ecology program FWCP project No. PF16-W29. , 1–26.
9. Nagorsen DW, Paterson B. 2012 An Update on the Status of Red Bats, *Lasiurus blossevillii* and *Lasiurus borealis*, in British Columbia. *Northwestern Naturalist* **93**, 235–237. (doi:[10.1898/12-01.1](https://doi.org/10.1898/12-01.1))
10. Firman M, Schmidt C. 2012 Bat mist netting surveys, Peace, Okanagan and Vancouver Island regions, provincial permit C111-71504 report.
11. Nagorsen D. 2009 Campbell River bat project: Bat house mitigations. Prepared for: BC Hydro Bridge Coastal Fish and Wildlife Restoration Program. Pp 1-29. See: https://a100.gov.bc.ca/pub/acat/documents/r37323/Campbell_Bat_1375195970328_118f85af1bb59452dcd7f8f58b3b43ad0fb2d4c82609b96adc1ac02783ab24e.pdf

12. Luszc T. 2004 Community structure and habitat use by forest-dwelling bats in southwestern British Columbia. Master's Thesis, University of Calgary. See https://central.bac-lac.gc.ca/.item?id=MQ93380&op=pdf&app=Library&oclc_number=60669896.
13. Vonhof MJ, Gwilliam JC. 2000 A summary of bat research in the Pend d'Oreille valley in southeastern British Columbia. *Nelson, BC: Columbia Basin Fish and Wildlife Compensation Program*
14. Burles DW. 2000 Bats of Gandl K'in. In *Proceedings of a conference on the biology and management of species and habitats at risk (LM Darling, ed.)*. British Columbia Ministry of Environment and University College of the Cariboo, Kamloops, British Columbia, Canada, Pp. 321–326.
15. Handler RJ, Psyllakis J. 1997 Bat fauna of the Prince George Forest region. Pp 1–42.
16. Davis MJ, Chatwin TA, Nagorsen DW. 1997 Bat usage of the Weymer Creek Cave systems on northern Vancouver Island. See: https://a100.gov.bc.ca/pub/acat/documents/r56571/9_1555595912574_5595359870.pdf.
17. Bradbury SM, Morris S, McNally S. 1997 Bat survey of Liard river watershed in British Columbia: the lower Liard river and Highway 77 area. Pp. 1–33.
18. Vonhof MJ. 1996 A survey of the abundance, diversity, and roost-site preferences of bats in the Pend d'Oreille valley, British Columbia. *The Columbia Basin Fish and Wildlife Compensation Program*. Nelson, BC: BC Hydro and British Columbia Ministry of Environment
19. Psyllakis J, Martin T. 1996 Bat species of the Prince George Forest District: A survey of the sub-boreal spruce biogeoclimatic zone. pp. 1–27.
20. Rasheed SA, Holroyd S. 1995 Roosting habitat assessment and inventory of bats in mica conservation area. pp. 1–77.
21. Holroyd SL, Barclay RMR, Merk LM, Brigham RM. 1994 A survey of the bat fauna of the dry interior of British Columbia. Pp. 1–86 (doi:[10.13140/RG.2.2.20373.14565](https://doi.org/10.13140/RG.2.2.20373.14565))
22. Holroyd S. 1993 Inventory and habitat assessment of bats in the mica wildlife compensation area. *prepared for BC Hydro*. pp. 1–42.
23. Fenton MB, Merriam DHG, Holroyd GL. 1983 Bats of Kootenay, Glacier, and Mount Revelstoke National Parks in Canada: identification by echolocation calls, distribution, and biology. *Canadian Journal of Zoology* **61**, 2503–2508. (doi:[10.1139/z83-332](https://doi.org/10.1139/z83-332))
24. Jong CG van Z de. 1979 Distribution and systematic relationships of long-eared *Myotis* in western Canada. *Canadian Journal of Zoology* **57**, 987–994. (doi:[10.1139/z79-125](https://doi.org/10.1139/z79-125))

Roost Ecology

Anthropogenic Roosts

1. Rensel LJ, Hodges KE, Lausen CL. 2023 *Myotis* roost use is influenced by seasonal thermal needs. *Journal of Mammalogy* **104**, 739–751. (doi:[10.1093/jmammal/gyad031](https://doi.org/10.1093/jmammal/gyad031))
2. Micalizzi EW, Forshner SA, Low EB, Johnston B, Skarsgard SA, Barclay RMR. 2023 Female little brown bats require both building and natural roosts in a mountainous environment with short summers. *Ecosphere* **14**, e4731. (doi:[10.1002/ecs2.4731](https://doi.org/10.1002/ecs2.4731))
3. Lausen CL, Lentini P, Dulc S, Rensel L, Threlfall CG, de Freitas E, Kellner M. 2023 Bat boxes as roosting habitat in urban centres: 'Thinking outside the box'. In *Urban Bats: Biology, Ecology, and Human Dimensions*, pp. 75–93. Springer, Cham. (https://doi.org/10.1007/978-3-031-13173-8_6)
4. Rensel LJ, Hodges KE, Lausen CL. 2022 Maternity colony social structure of *Myotis* in British Columbia, Canada. *Behavioral Ecology and Sociobiology* **76**, 159. (doi:[10.1007/s00265-022-03265-8](https://doi.org/10.1007/s00265-022-03265-8))
5. Rensel LJ. 2021 Roost selection and social organization of myotis in maternity colonies. Master's Thesis, University of British Columbia. See <https://open.library.ubc.ca/media/download/pdf/24/1.0398503/4>.
6. BC Community Bat Program. 2019 Best Management Practices for Bat Boxes in British Columbia BC Community Bat Program. Available: <https://bcbats.ca/attachments/BMPS-for-Bat-Boxes-in-BC-2019.pdf>
7. Willie M, Rowland E, Mullaley A. 2018 First documentation of roost use by little brown myotis (*Myotis lucifugus*) on the North coast of British Columbia. *Northwestern Naturalist* **99**, 187–196. (doi:[10.1898/NWN18-02.1](https://doi.org/10.1898/NWN18-02.1))

8. Holroyd S, Craig VJ, Govindarajulu P. 2016 Best management practices for bats in British Columbia: mine developments and inactive mine habitats.
9. Nagorsen D. 2009 Campbell River bat project: Bat house mitigations. Mammalia Biological Consulting, Burnaby
10. Vonhof MJ, Gwilliam JC. 2000 A summary of bat research in the Pend d'Oreille valley in southeastern British Columbia. Nelson, BC: Columbia Basin Fish and Wildlife Compensation Program

Natural Roosts

1. Micalizzi EW, Forshner SA, Low EB, Johnston B, Skarsgard SA, Barclay RMR. 2023 Female little brown bats require both building and natural roosts in a mountainous environment with short summers. *Ecosphere* **14**, e4731. (doi:[10.1002/ecs2.4731](https://doi.org/10.1002/ecs2.4731))
2. Lausen CL, Falxa GA, Solick DI, McEwan AL, Baker MD, de Freitas E, Sarell M. 2023 Singing silver-haired bats (*Lasionycteris noctivagans*). *Wildlife Society Bulletin* **47**, e1500. (doi:[10.1002/wsb.1500](https://doi.org/10.1002/wsb.1500))
3. de Freitas, E 2022. Spring roost selection and thermoregulation of silver-haired bats in the Smallwood creek area. WCSC report for BC Ministry of Environment and Climate Change Strategy. 14 pp. See: <http://a100.gov.bc.ca/pub/siwe/sensDataReq.do?projectId=6010&docId=44450&fromPage=details>
4. de Freitas, E. and C. Lausen. 2022. Year-round roost selection and thermoregulation of Silver-haired Bats in Smallwood-Garrity Area, Kootenay Lake. WCSC report for BC Ministry of Environment and Climate Change Strategy. 9 pp. <http://a100.gov.bc.ca/pub/siwe/sensDataReq.do?projectId=6010&docId=44447&fromPage=details>
5. Lausen C, Proctor MF, Paetkau D, Nagorsen D, Govindarajulu P, Burtles D, Blejwas K. 2021 Further comments strengthen evidence for *Myotis evotis/keenii* reflecting population substructure not species delineation. *Canadian Journal of Zoology* **5**, 423–432. (doi:<https://doi.org/10.1139/cjz-2020-0266>)
6. Willie M, Rowland E, Mullaley A. 2018 First documentation of roost use by little brown myotis (*Myotis lucifugus*) on the North coast of British Columbia. *Northwestern Naturalist* **99**, 187–196. (doi:[10.1898/NWN18-02.1](https://doi.org/10.1898/NWN18-02.1))
7. Vonhof MJ, Betts BJ. 2010 Nocturnal activity patterns of lactating silver-haired bats (*Lasionycteris noctivagans*): the influence of roost-switching behavior. *Acta Chiropterologica* **12**, 283–291.
8. Reid A, Hill T, Clark R, Gwilliam J, Krebs J. 2010 Roosting ecology of female townsend's big-eared bats (*Corynorhinus townsendii*) in south-eastern British Columbia: implications for conservation management. *Northwestern Naturalist* **91**, 215–218. (doi:<https://doi.org/10.1898/NWN09-08.1>)
9. Andrusiak L. 2008 An unusual roosting location of a hoary bat (*Lasiurus cinereus*) in British Columbia. *Western Birds* **5**, 211–214.
10. Psyllakis JM, Brigham RM. 2006 Characteristics of diurnal roosts used by female *Myotis* bats in sub-boreal forests. *Forest Ecology and Management* **223**, 93–102. (doi:[10.1016/j.foreco.2005.03.071](https://doi.org/10.1016/j.foreco.2005.03.071))
11. Parsons S, Lewis KJ, Psyllakis JM. 2003 Relationships between roosting habitat of bats and decay of aspen in the sub-boreal forests of British Columbia. *Forest Ecology and Management* **177**, 559–570. (doi:[10.1016/S0378-1127\(02\)00448-6](https://doi.org/10.1016/S0378-1127(02)00448-6))
12. Barclay RM, Brigham RM. 2001 Year-to-year reuse of tree-roosts by California bats (*Myotis californicus*) in southern British Columbia. *The American Midland Naturalist* **146**, 80–85. (doi:[http://dx.doi.org/10.1674/0003-0031\(2001\)146\[0080:YTYROT\]2.0.CO;2](http://dx.doi.org/10.1674/0003-0031(2001)146[0080:YTYROT]2.0.CO;2))
13. Kellner AM. 1999 Activity and roost selection of bats in montane forests of northern Vancouver Island. Master's Thesis, Simon Fraser University. See https://www.nlc-bnc.ca/obj/s4/f2/dsk1/tape7/PQDD_0024/MQ51375.pdf.
14. Vonhof MJ, Wilkinson L, Fort S. 1999 Roosting habitat requirements of northern long-eared bats (*Myotis septentrionalis*) in the boreal forests of northeastern British Columbia: year 2. , 1–96.
15. Vonhof MJ, Wilkinson LC. 1999 A summary of roosting requirements of northern long-eared myotis in northeastern British Columbia. *Proceedings: Biology and Management of species and Habitats at Risk. Kamloops, BC* , 15–19.
16. Vonhof MJ, Mcnalley S, Yu A. 1997 Roosting habitat requirements of northern long-eared bats (*Myotis septentrionalis*) in northeastern British Columbia: the Fort Nelson River and Highway 77 area - 1997. , 1–51.

17. Vonhof MJ, Barclay RM. 1997 Use of tree stumps as roosts by the western long-eared bat. *The Journal of wildlife management* , 674–684.
18. Davis MJ, Chatwin TA, Nagorsen DW. 1997 Bat usage of the Weymer Creek Cave systems on northern Vancouver Island.
19. Brigham RM, Vonhof MJ, Barclay RM, Gwilliam JC. 1997 Roosting behavior and roost-site preferences of forest-dwelling California bats (*Myotis californicus*). *Journal of Mammalogy* **78**, 1231–1239. (doi:<http://dx.doi.org/10.2307/1383066>)
20. Vonhof MJ, Barclay RMR. 1996 Roost-site selection and roosting ecology of forest-dwelling bats in southern British Columbia. *Can. J. Zool.* **74**, 1797–1805. (doi:[10.1139/z96-200](https://doi.org/10.1139/z96-200))
21. Vonhof MJ. 1996 A survey of the abundance, diversity, and roost-site preferences of bats in the Pend d'Oreille valley, British Columbia. *The Columbia Basin Fish and Wildlife Compensation Program. Nelson, BC: BC Hydro and British Columbia Ministry of Environment*
22. Rasheed SA, Holroyd S. 1995 Roosting habitat assessment and inventory of bats in mica conservation area. , 1–77.

Management Practices

1. B.C. Ministry of Environment and Climate Change Strategy (ECCS). 2023 *Best Management Practices for Bats in British Columbia*. Victoria BC. See <https://a100.gov.bc.ca/pub/eirs/viewDocumentDetail.do?fromStatic=true&repository=BDP&documentId=12460>.
2. BC Community Bat Program. 2019 Best Management Practices for Bat Boxes in British Columbia BC Community Bat Program. See: <https://bcbats.ca/attachments/BMPS-for-Bat-Boxes-in-BC-2019.pdf>
3. Lauzon A. 2019 Long-term effects of forest harvesting on habitat use by insectivorous bats. Master's Thesis, University of Regina. See [https://ourspace.uregina.ca/items/37b507e8-1793-488d-9014-9717b5994961#:~:text=Lauzon Audrey MSC BIOL Fall2019.pdf%20\(1.52%20MB\)](https://ourspace.uregina.ca/items/37b507e8-1793-488d-9014-9717b5994961#:~:text=Lauzon%20Audrey%20MSC%20BIOL%20Fall2019.pdf%20(1.52%20MB)).
4. Canadian Wildlife Health Cooperative. 2017 Regulatory Considerations for Control of Wildlife Disease: Bat White-nose Syndrome Treatment Regulations Overview. , 1–23. See: <https://www.cwhc-rcsf.ca/reports.php#:~:text=Treatment%20Regulations%20Overview,-,ENGLISH,-CWHC%20Snake%20Fungal>
5. Holroyd S, Craig VJ, Govindarajulu P. 2016 Best management practices for bats in British Columbia: mine developments and inactive mine habitats. *Vancouver : University of British Columbia Library* , 14. (doi:[10.14288/1.0354475](https://doi.org/10.14288/1.0354475))
6. Wilson JM, Barclay RM. 2006 Consumption of caterpillars by bats during an outbreak of western spruce budworm. *The American Midland Naturalist* **155**, 244–249. (doi:[https://doi.org/10.1674/0003-0031\(2006\)155\[0244:COCBBD\]2.0.CO;2](https://doi.org/10.1674/0003-0031(2006)155[0244:COCBBD]2.0.CO;2))
7. Luszcz T. 2004 Community structure and habitat use by forest-dwelling bats in southwestern British Columbia. Master's Thesis, University of Calgary. See https://central.bac-lac.gc.ca/.item?id=MQ93380&op=pdf&app=Library&oclc_number=60669896.
8. Kellner AM. 1999 Activity and roost selection of bats in montane forests of northern Vancouver Island. Master's Thesis, Simon Fraser University. See https://www.nlc-bnc.ca/obj/s4/f2/dsk1/tape7/PQDD_0024/MQ51375.pdf.
9. Lunde RE, Harestad AS. 1986 Activity of little brown bats in coastal forests. *Northwest science.* **60**.
10. Lawson KJ, Lausen CL, Mancuso KA, Volkmann LA, Gooliaff TJ, Hutchen J, Teichman KJ, Kelly AJ, Hodges KE. 2019 Bat activity and richness in beetle-killed forests in southern British Columbia. *Journal of Mammalogy* **100**, 510–517. (doi:[10.1093/jmammal/gyz034](https://doi.org/10.1093/jmammal/gyz034))
11. Luszcz TMJ, Barclay RMR. 2016 Influence of forest composition and age on habitat use by bats in southwestern British Columbia. *Can. J. Zool.* **94**, 145–153. (doi:[10.1139/cjz-2015-0167](https://doi.org/10.1139/cjz-2015-0167))
12. Vonhof MJ, Gwilliam JC. 2007 Intra- and interspecific patterns of day roost selection by three species of forest-dwelling bats in Southern British Columbia. *Forest Ecology and Management* **252**, 165–175. (doi:[10.1016/j.foreco.2007.06.046](https://doi.org/10.1016/j.foreco.2007.06.046))
13. Craig J. 2022 Prime real estate: how urban landscape variables influence bat presence in Vancouver, Canada. Master's Thesis, University of British Columbia. See <https://dx.doi.org/10.14288/1.0417416>.

14. Griebling H. 2023 Human-wildlife contact management at UBC: A case study using bats.
15. Grindal SD, Brigham RM. 1998 Short-term effects of small-scale habitat disturbance on activity by insectivorous bats. *Journal of Wildlife Management* **62**, 996–1003.
16. Swystun MB, Psyllakis JM, Brigham RM. 2001 The influence of residual tree patch isolation on habitat use by bats in central British Columbia. *Acta Chiropterologica* **3**, 197–201.

Migration

1. Nelson K. 2023 Westward ho! Evidence of longitudinal migration in silver-haired bats from hydrogen, carbon, and nitrogen stable isotopes. Master's Thesis, University of Victoria. See <http://hdl.handle.net/1828/15772>
2. Micalizzi EW, Olson CR, Forshner SA, Barclay RM. 2023 The flight speed of a migrating silver-haired bat (*Lasionycteris noctivagans*). *Northwestern Naturalist* **104**, 141–144. (doi:<https://doi.org/10.1898/NWN22-15>)
3. Solick DI, Barclay RMR, Bishop-Boros L, Hays QR, Lausen CL. 2020 Distributions of eastern and western red bats in western North America. *Western North American Naturalist* **80**, 90. (doi:[10.3398/064.080.0111](https://doi.org/10.3398/064.080.0111))
4. Rea RV, Huxter CE. 2020 Late-autumn record of Little Brown Myotis (*Myotis lucifugus*) in north-central British Columbia. *The Canadian Field-Naturalist* **134**, 248–251. (doi:[10.22621/cfn.v134i3.2491](https://doi.org/10.22621/cfn.v134i3.2491))
5. Nagorsen DW, Robertson I, Manky D. 2014 Acoustic evidence for Hoary Bat migration in the coast mountains of British Columbia. *Northwestern Naturalist* **95**, 50–54. (doi:<https://doi.org/10.1898/NWN13-15.1>)
6. Andrusiak L. 2008 An unusual roosting location of a hoary bat (*Lasiurus cinereus*) in British Columbia. *Western Birds* **5**, 211–214. Available from: http://www.wildlifebc.org/pdfs/5_2_Andrusiak.pdf
7. Cryan PM. 2003 Seasonal distribution of migratory tree bats (*Lasiurus* and *Lasionycteris*) in North America. *Journal of Mammalogy* **84**, 579–593. (doi:[10.1644/1545-1542\(2003\)084<0579:SDOMTB>2.0.CO;2](https://doi.org/10.1644/1545-1542(2003)084<0579:SDOMTB>2.0.CO;2))
8. Dalquest WW. 1943 Seasonal distribution of the hoary bat along the Pacific Coast. *The Murrelet* **24**, 21. (doi:[10.2307/3534418](https://doi.org/10.2307/3534418))

Wind Energy

1. Nagorsen DW, Robertson I, Sarell M. 2014 Pre-construction bat activity at four wind energy sites in northeastern British Columbia. *Northwestern Naturalist* **95**, 300–311. (doi:[10.1898/13-09.1](https://doi.org/10.1898/13-09.1))

Winter Ecology

1. de Freitas E. 2023 Winter roosting ecology of silver-haired bats (*Lasionycteris noctivagans*) in southern British Columbia. Master's Thesis, University of Northern British Columbia. See doi.org/10.24124/2023/59414.
2. McGuire LP, Fuller NW, Dzal YA, Haase CG, Silas KA, Willis CK, Olson SH, Lausen CL. 2022 Similar hibernation physiology in bats across broad geographic ranges. *Journal of Comparative Physiology B* **192**, 171–181. (doi:[10.1007/s00360-021-01400-x](https://doi.org/10.1007/s00360-021-01400-x))
3. Forsythe A *et al.* 2022 Microbial isolates with Anti-*Pseudogymnoascus destructans* activities from Western Canadian bat wings. *Sci Rep* **12**, 9895. (doi:[10.1038/s41598-022-14223-9](https://doi.org/10.1038/s41598-022-14223-9))
4. Andrusiak L, Anderson M, Sarell M. 2022 Site C wildlife monitoring Portage Mountain bat studies: 2020 and 2021 annual report. , 1–146.1.
5. Hranac CR, Haase CG, Fuller NW, McClure ML, Marshall JC, Lausen CL, McGuire LP, Olson SH, Hayman DTS. 2021 What is winter? Modeling spatial variation in bat host traits and hibernation and their implications for overwintering energetics. *Ecology and Evolution* **11**, 11604–11614. (doi:[10.1002/ece3.7641](https://doi.org/10.1002/ece3.7641))
6. McClure ML *et al.* 2021 A hybrid correlative-mechanistic approach for modeling winter distributions of North American bat species. *Journal of Biogeography* **48**, 2429–2444. (doi:[10.1111/jbi.14130](https://doi.org/10.1111/jbi.14130))
7. Rea RV, Huxter CE. 2020 Late-autumn record of Little Brown Myotis (*Myotis lucifugus*) in north-central British Columbia. *Can Field Nat* **134**, 248–251. (doi:[10.22621/cfn.v134i3.2491](https://doi.org/10.22621/cfn.v134i3.2491))
8. Sarell BM, Alcock W. 2017 Bat hibernacula assessment for Portage Mountain. , 1–31.

9. Davy CM *et al.* 2017 Prelude to a panzootic: Gene flow and immunogenetic variation in northern little brown myotis vulnerable to bat white-nose syndrome. *Facets* **2**, 690–714. (doi:<https://doi.org/10.1139/facets-2017-0022>)
10. Holroyd S, Craig VJ, Govindarajulu P. 2016 Best management practices for bats in British Columbia: mine developments and inactive mine habitats.
11. Vonhof MJ, Russell AL, Miller-Butterworth CM. 2015 Range-wide genetic analysis of little brown bat (*Myotis lucifugus*) populations: estimating the risk of spread of white-nose syndrome. *PLoS One* **10**, e0128713. (doi:<https://doi.org/10.1371/journal.pone.0128713>)
12. Burles DW, Fenton MB, Barclay RM, Brigham RM, Volkers D. 2014 Aspects of the winter ecology of bats on Haida Gwaii, British Columbia. *Northwestern Naturalist* **95**, 289–299. (doi:[10.1898/12-32.1](https://doi.org/10.1898/12-32.1))
13. Cryan PM. 2003 Seasonal distribution of migratory tree bats (*Lasiurus* and *Lasionycteris*) in North America. *Journal of Mammalogy* **84**, 579–593. (doi:[10.1644/1545-1542\(2003\)084<0579:SDOMTB>2.0.CO;2](https://doi.org/10.1644/1545-1542(2003)084<0579:SDOMTB>2.0.CO;2))
14. Davis MJ, Chatwin TA, Nagorsen DW. 1997 Bat usage of the Weymer Creek Cave systems on northern Vancouver Island.
15. Nagorsen DW, Bryant AA, Kerridge D, Roberts G, Roberts A, Sarell MJ. 1993 Winter bat records for British Columbia. *Northwestern Naturalist* **74**, 61–66.
16. Jobin L. 1952 New winter records of bats in British Columbia. *The Murrelet* **33**, 42.

Miscellaneous

1. Lausen CL, Falxa GA, Solick DI, McEwan AL, Baker MD, de Freitas E, Sarell M. 2023 Singing silver-haired bats (*Lasionycteris noctivagans*). *Wildlife Society Bulletin* **47**, e1500. (doi:[10.1002/wsb.1500](https://doi.org/10.1002/wsb.1500))
2. Alston JM *et al.* 2023 Environmental drivers of body size in North American bats. *Functional Ecology* **37**, 1020–1032. (doi:[10.1111/1365-2435.14287](https://doi.org/10.1111/1365-2435.14287))
3. Rensel LJ, Hodges KE, Lausen CL. 2022 Maternity colony social structure of *Myotis* in British Columbia, Canada. *Behavioral Ecology and Sociobiology* **76**, 159. (doi:[10.1007/s00265-022-03265-8](https://doi.org/10.1007/s00265-022-03265-8))
4. Lausen C, Nagorsen DW, Brigham RM, Hobbs J. 2022 *Bats of British Columbia*. Royal BC Museum Victoria. See <https://shop.royalbcmuseum.bc.ca/product/bats-of-british-columbia-2nd-edition/>.
5. Forsythe A *et al.* 2022 Microbial isolates with Anti-*Pseudogymnoascus destructans* activities from Western Canadian bat wings. *Sci Rep* **12**, 9895. (doi:[10.1038/s41598-022-14223-9](https://doi.org/10.1038/s41598-022-14223-9))
6. Beattie I, Schofer D, McGregor G, Lee MJ, Lee LK, Himsworth CG, Byers KA. 2022 An investigation of bat mortality in British Columbia, Canada. *Canadian Journal of Zoology* **100**, 464–473. (doi:<https://doi.org/10.1139/cjz-2021-0230>)
7. Player D, Lausen C, Zaitlin B, Harrison J, Paetkau D, Harmston E. 2017 An alternative minimally invasive technique for genetic sampling of bats: Wing swabs yield species identification. *Wildlife Society Bulletin* **41**, 590–596. (doi:[10.1002/wsb.803](https://doi.org/10.1002/wsb.803))
8. Davy CM *et al.* 2017 Prelude to a panzootic: Gene flow and immunogenetic variation in northern little brown myotis vulnerable to bat white-nose syndrome. *Facets* **2**, 690–714. (doi:<https://doi.org/10.1139/facets-2017-0022>)
9. Jung TS, Blejwas KM, Lausen CL, Wilson JM, Olson LE. 2014 Concluding remarks: What do we need to know about bats in northwestern North America? *Northwestern Naturalist* **95**, 318–330. (doi:[10.1898/95-3.1](https://doi.org/10.1898/95-3.1))
10. Veselka N, McGuire LP, Dzal YA, Hooton LA, Fenton MB. 2013 Spatial variation in the echolocation calls of the little brown bat (*Myotis lucifugus*). *Canadian Journal of Zoology* **91**, 795–801. (doi:<https://doi.org/10.1139/cjz-2013-0094>)
11. Burles DW, Brigham RM, Ring RA, Reimchen TE. 2009 Influence of weather on two insectivorous bats in a temperate Pacific Northwest rainforest. *Canadian Journal of Zoology* **87**, 132–138. (doi:<https://doi.org/10.1139/Z08-146>)
12. Nagorsen DW. 2002 *An identification manual to the small mammals of British Columbia*. British Columbia Ministry of Sustainable Resource Management, British Columbia Ministry of Water, Land and Air Protection and Royal British Columbia Museum. See http://wwwt.env.gov.bc.ca/wld/idkey_intropg.htm.

13. Chilton G, Vonhof MJ, Peterson BV, Wilson N. 2000 Ectoparasitic insects of bats in British Columbia, Canada. *Journal of Parasitology* **86**, 191–192. (doi:[http://dx.doi.org/10.1645/0022-3395\(2000\)086\[0191:EIOBIB\]2.0.CO;2](http://dx.doi.org/10.1645/0022-3395(2000)086[0191:EIOBIB]2.0.CO;2))
14. Hecker KR, Brigham RM. 1999 Does moonlight change vertical stratification of activity by forest-dwelling insectivorous bats? *Journal of Mammalogy* **80**, 1196–1201. (doi:[10.2307/1383170](https://doi.org/10.2307/1383170))
15. Grindal SD, Collard TS, Brigham RM, Barclay RM. 1992 The influence of precipitation on reproduction by *Myotis* bats in British Columbia. *American Midland Naturalist* **128**, 339–344. (doi:[DOI: 10.2307/2426468](https://doi.org/10.2307/2426468))
16. Pybus MJ. 1986 Rabies in insectivorous bats of western Canada, 1979 to 1983. *Journal of Wildlife Diseases* **22**, 307–313. (doi:[10.7589/0090-3558-22.3.307](https://doi.org/10.7589/0090-3558-22.3.307))
17. Fenton MB, Bell GP. 1981 Recognition of species of insectivorous bats by their echolocation calls. *Journal of Mammalogy* **62**, 233–243. (doi:[10.2307/1380701](https://doi.org/10.2307/1380701))
18. Webster WA, Casey GA. 1973 Studies on the parasites of Chiroptera. III. Helminths from various bat species collected in British Columbia. *Canadian Journal of Zoology* **51**, 633–636.

Bat Guild

Myotis spp.

1. Rensel LJ, Hodges KE, Lausen CL. 2023 *Myotis* roost use is influenced by seasonal thermal needs. *Journal of Mammalogy* **104**, 739–751. (doi:[10.1093/jmammal/gyad031](https://doi.org/10.1093/jmammal/gyad031))
2. Micalizzi EW, Forshner SA, Low EB, Johnston B, Skarsgard SA, Barclay RMR. 2023 Female little brown bats require both building and natural roosts in a mountainous environment with short summers. *Ecosphere* **14**, e4731. (doi:[10.1002/ecs2.4731](https://doi.org/10.1002/ecs2.4731))
3. Davy CM, Von Zuben V, Kukka PM, Gerber BD, Slough BG, Jung TS. 2022 Rapidly declining body size in an insectivorous bat is associated with increased precipitation and decreased survival. *Ecological Applications* **32**, e2639. (doi:[10.1002/eap.2639](https://doi.org/10.1002/eap.2639))
4. Slough BG, Lausen CL, Paterson B, Hansen IJ, Thomas JP, Kukka PM, Jung TS, Rae J, De Wetering DV. 2022 New records about the diversity, distribution, and seasonal activity patterns by bats in Yukon and northwestern British Columbia. *Northwestern Naturalist* **103**. (doi:[10.1898/NWN21-10](https://doi.org/10.1898/NWN21-10))
5. Rensel LJ, Hodges KE, Lausen CL. 2022 Maternity colony social structure of *Myotis* in British Columbia, Canada. *Behavioral Ecology and Sociobiology* **76**, 159. (doi:[10.1007/s00265-022-03265-8](https://doi.org/10.1007/s00265-022-03265-8))
6. McGuire LP, Fuller NW, Dzal YA, Haase CG, Silas KA, Willis CK, Olson SH, Lausen CL. 2022 Similar hibernation physiology in bats across broad geographic ranges. *Journal of Comparative Physiology B* **192**, 171–181. (doi:[10.1007/s00360-021-01400-x](https://doi.org/10.1007/s00360-021-01400-x))
7. Andrusiak L, Anderson M, Sarell M. 2022 Site C wildlife monitoring Portage Mountain bat studies: 2020 and 2021 annual report. , 1–146.
8. Hranac CR, Haase CG, Fuller NW, McClure ML, Marshall JC, Lausen CL, McGuire LP, Olson SH, Hayman DTS. 2021 What is winter? Modeling spatial variation in bat host traits and hibernation and their implications for overwintering energetics. *Ecology and Evolution* **11**, 11604–11614. (doi:[10.1002/ece3.7641](https://doi.org/10.1002/ece3.7641))
9. Lausen C, Proctor MF, Paetkau D, Nagorsen D, Govindarajulu P, Burles D, Blejwas K. 2021 Further comments strengthen evidence for *Myotis evotis/keenii* reflecting population substructure not species delineation. *Canadian Journal of Zoology* **5**, 423–432. (doi:<https://doi.org/10.1139/cjz-2020-0266>)
10. Lausen CL, Proctor MF, Paetkau D, Nagorsen DW, Govindarajulu P, Burles D, Blejwas K. 2021 Reply to the comment by Morales et al. on “Population genetics reveal *Myotis keenii* (Keen’s myotis) and *Myotis evotis* (long-eared myotis) to be a single species”. *Canadian Journal of Zoology* **99**, 423–432. (doi:[10.1139/cjz-2020-0266](https://doi.org/10.1139/cjz-2020-0266))
11. Rensel LJ. 2021 Roost selection and social organization of myotis in maternity colonies. Master’s Thesis, University of British Columbia. See <https://open.library.ubc.ca/media/download/pdf/24/1.0398503/4>.
12. Rea RV, Huxter CE. 2020 Late-autumn record of Little Brown Myotis (*Myotis lucifugus*) in north-central British Columbia. *The Canadian Field-Naturalist* **134**, 248–251. (doi:[10.22621/cfn.v134i3.2491](https://doi.org/10.22621/cfn.v134i3.2491))
13. Lawson KJ, Lausen CL, Mancuso KA, Volkmann LA, Gooliaff TJ, Hutchen J, Teichman KJ, Kelly AJ, Hodges KE. 2019 Bat activity and richness in beetle-killed forests in southern British Columbia. *Journal of Mammalogy* **100**, 510–517. (doi:[10.1093/jmammal/gyz034](https://doi.org/10.1093/jmammal/gyz034))

14. Lausen CL, Proctor M, Nagorsen DW, Burles D, Paetkau D, Harmston E, Blejwas K, Govindarajulu P, Friis L. 2019 Population genetics reveal *Myotis keenii* (Keen's myotis) and *Myotis evotis* (long-eared myotis) to be a single species. *Canadian Journal of Zoology* **97**, 267–279. (doi:<https://doi.org/10.1139/cjz-2018-0113>)
15. Willie M, Rowland E, Mullaley A. 2018 First documentation of roost use by little brown myotis (*Myotis lucifugus*) on the North coast of British Columbia. *Northwestern Naturalist* **99**, 187–196. (doi:[10.1898/NWN18-02.1](https://doi.org/10.1898/NWN18-02.1))
16. Sarell BM, Alcock W. 2017 Bat hibernacula assessment for Portage Mountain. , 1–31.
17. Davy CM *et al.* 2017 Prelude to a panzootic: Gene flow and immunogenetic variation in northern little brown myotis vulnerable to bat white-nose syndrome. *Facets* **2**, 690–714. (doi:<https://doi.org/10.1139/facets-2017-0022>)
18. Luszcz TMJ, Barclay RMR. 2016 Influence of forest composition and age on habitat use by bats in southwestern British Columbia. *Canadian Journal of Zoology*. **94**, 145–153. (doi:[10.1139/cjz-2015-0167](https://doi.org/10.1139/cjz-2015-0167))
19. Vonhof MJ, Russell AL, Miller-Butterworth CM. 2015 Range-wide genetic analysis of little brown bat (*Myotis lucifugus*) populations: estimating the risk of spread of white-nose syndrome. *PLoS One* **10**, e0128713. (doi:<https://doi.org/10.1371/journal.pone.0128713>)
20. Nagorsen DW, Robertson I, Sarell M. 2014 Pre-construction bat activity at four wind energy sites in northeastern British Columbia. *Northwestern Naturalist* **95**, 300–311. (doi:[10.1898/13-09.1](https://doi.org/10.1898/13-09.1))
21. Veselka N, McGuire LP, Dzal YA, Hooton LA, Fenton MB. 2013 Spatial variation in the echolocation calls of the little brown bat (*Myotis lucifugus*). *Canadian Journal of Zoology* **91**, 795–801. (doi:<https://doi.org/10.1139/cjz-2013-0094>)
22. Burles DW, Brigham RM, Ring RA, Reimchen TE. 2009 Influence of weather on two insectivorous bats in a temperate Pacific Northwest rainforest. *Canadian Journal of Zoology* **87**, 132–138. (doi:<https://doi.org/10.1139/Z08-146>)
23. Burles DW, Brigham RM, Ring RA, Reimchen TE. 2008 Diet of two insectivorous bats, *Myotis lucifugus* and *Myotis keenii*, in relation to arthropod abundance in a temperate Pacific Northwest rainforest environment. *Canadian Journal of Zoology* **86**, 1367–1375. (doi:<https://doi.org/10.1139/Z08-125>)
24. Vonhof MJ, Gwilliam JC. 2007 Intra- and interspecific patterns of day roost selection by three species of forest-dwelling bats in Southern British Columbia. *Forest Ecology and Management* **252**, 165–175. (doi:[10.1016/j.foreco.2007.06.046](https://doi.org/10.1016/j.foreco.2007.06.046))
25. Psyllakis JM, Brigham RM. 2006 Characteristics of diurnal roosts used by female *Myotis* bats in sub-boreal forests. *Forest Ecology and Management* **223**, 93–102. (doi:[10.1016/j.foreco.2005.03.071](https://doi.org/10.1016/j.foreco.2005.03.071))
26. Luszcz T. 2004 Community structure and habitat use by forest-dwelling bats in southwestern British Columbia. Master's Thesis, University of Calgary. See https://central.bac-lac.gc.ca/.item?id=MQ93380&op=pdf&app=Library&oclc_number=60669896.
27. Kellner AME, Harestad AS. 2005 Diets of bats in coastal rainforests on Vancouver Island, British Columbia. *Northwestern Naturalist* **86**, 45–48. (doi:[10.1898/1051-1733\(2005\)086\[0045:DOBICR\]2.0.CO;2](https://doi.org/10.1898/1051-1733(2005)086[0045:DOBICR]2.0.CO;2))
28. Barclay RM, Brigham RM. 2001 Year-to-year reuse of tree-roosts by California bats (*Myotis californicus*) in southern British Columbia. *The American Midland Naturalist* **146**, 80–85. (doi:[http://dx.doi.org/10.1674/0003-0031\(2001\)146\[0080:YTYROT\]2.0.CO;2](https://doi.org/10.1674/0003-0031(2001)146[0080:YTYROT]2.0.CO;2))
29. Kellner AM. 1999 Activity and roost selection of bats in montane forests of northern Vancouver Island. Master's Thesis, Simon Fraser University. See https://www.nlc-bnc.ca/obj/s4/f2/dsk1/tape7/PQDD_0024/MQ51375.pdf.
30. Vonhof MJ, Wilkinson L, Fort S. 1999 Roosting habitat requirements of northern long-eared bats (*Myotis septentrionalis*) in the boreal forests of northeastern British Columbia: year 2. , 1–96.
31. Vonhof MJ, Wilkinson LC. 1999 A summary of roosting requirements of northern long-eared myotis in northeastern British Columbia. *Proceedings: Biology and Management of species and Habitats at Risk. Kamloops, BC* , 15–19.
32. Caceres MC. 1998 The summer ecology of *Myotis* species in the interior wet belt of British Columbia. Masters Thesis, University of Calgary. Available at: <http://www.collectionscanada.ca/obj/s4/f2/dsk2/ftp01/MQ38572.pdf>
33. Vonhof MJ, Mcnalley S, Yu A. 1997 Roosting habitat requirements of northern long-eared bats (*Myotis septentrionalis*) in northeastern British Columbia: the Fort Nelson River and Highway 77 area - 1997. , 1–51.

34. Vonhof MJ, Barclay RM. 1997 Use of tree stumps as roosts by the western long-eared bat. *The Journal of wildlife management* , 674–684.
35. Davis MJ, Chatwin TA, Nagorsen DW. 1997 Bat usage of the Weymer Creek Cave systems on northern Vancouver Island.
36. Brigham RM, Vonhof MJ, Barclay RM, Gwilliam JC. 1997 Roosting behavior and roost-site preferences of forest-dwelling California bats (*Myotis californicus*). *Journal of Mammalogy* **78**, 1231–1239. (doi:<http://dx.doi.org/10.2307/1383066>)
37. Vonhof MJ, Barclay RMR. 1996 Roost-site selection and roosting ecology of forest-dwelling bats in southern British Columbia. *Can. J. Zool.* **74**, 1797–1805. (doi:[10.1139/z96-200](https://doi.org/10.1139/z96-200))
38. Rasheed SA, Garcia PFJ, Holroyd SL. 1995 *Status of the fringed myotis in British Columbia*. Victoria BC: Ministry of Environment, Lands and Parks, Wildlife Branch. See <https://a100.gov.bc.ca/pub/eirs/viewDocumentDetail.do?fromStatic=true&repository=BDP&documentId=3568>
39. Garcia PFJ, Rasheed SA, Holroyd SL. 1995 *Status of the western small-footed Myotis in British Columbia*. Victoria BC: Ministry of Environment, Lands and Parks, Wildlife Branch. See <https://a100.gov.bc.ca/pub/eirs/viewDocumentDetail.do?fromStatic=true&repository=BDP&documentId=3607>
40. Jong CG van Z de, Nagorsen DW. 1994 A review of the distribution and taxonomy of *Myotis keenii* and *Myotis evotis* in British Columbia and the adjacent United States. *Canadian Journal of Zoology* **72**, 1069–1078. (doi:<https://doi.org/10.1139/z94-144>)
41. Grindal SD, Collard TS, Brigham RM, Barclay RM. 1992 The influence of precipitation on reproduction by *Myotis* bats in British Columbia. *American Midland Naturalist* **128**, 339–344. (doi:[DOI: 10.2307/2426468](https://doi.org/10.2307/2426468))
42. Brigham RM, Aldridge H, Mackey RL. 1992 Variation in habitat use and prey selection by Yuma bats, *Myotis yumanensis*. *Journal of Mammalogy* **73**, 640–645. (doi:doi.org/10.2307/1382036)
43. Lunde RE, Harestad AS. 1986 Activity of little brown bats in coastal forests. *Northwest science*. **60**. (https://rex.libraries.wsu.edu/esploro/fulltext/journalArticle/Activity-of-Little-Brown-Bats-in/99900503001001842?repId=12332857060001842&mId=13333056110001842&institution=01ALLIANCE_WSU)
44. Jong CG van Z de. 1979 Distribution and systematic relationships of long-eared *Myotis* in western Canada. *Canadian Journal of Zoology* **57**, 987–994. (doi:[10.1139/z79-125](https://doi.org/10.1139/z79-125))

Lasiurus and *Lasionycteris* (tree bats)

1. COSEWIC. 2023. COSEWIC assessment and status report on the Hoary Bat *Lasiurus cinereus*, Eastern Red Bat *Lasiurus borealis* and Silver-haired Bat, *Lasionycteris noctivagans*, in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xxi + 100 pp. ([Species at risk public registry](https://www2.ec.gc.ca/species/species_at_risk_public_registry)).
2. Nelson K. 2023 Westward ho! Evidence of longitudinal migration in silver-haired bats from hydrogen, carbon, and nitrogen stable isotopes. Master's Thesis, University of Victoria. See <http://hdl.handle.net/1828/15772>.
3. Micalizzi EW, Olson CR, Forshner SA, Barclay RM. 2023 The flight speed of a migrating silver-haired bat (*Lasionycteris noctivagans*). *Northwestern Naturalist* **104**, 141–144. (doi:<https://doi.org/10.1898/NWN22-15>)
4. Lausen CL, Falxa GA, Solick DI, McEwan AL, Baker MD, de Freitas E, Sarell M. 2023 Singing silver-haired bats (*Lasionycteris noctivagans*). *Wildlife Society Bulletin* **47**, e1500. (doi:[10.1002/wsb.1500](https://doi.org/10.1002/wsb.1500))
5. de Freitas E. 2023 Winter roosting ecology of silver-haired bats (*Lasionycteris noctivagans*) in southern British Columbia. Master's Thesis, University of Northern British Columbia. See doi.org/10.24124/2023/59414.
6. de Freitas, E 2022. Spring roost selection and thermoregulation of silver-haired bats in the Smallwood creek area. WCSC report for BC Ministry of Environment and Climate Change Strategy. 14 pp. See: <http://a100.gov.bc.ca/pub/siwe/sensDataReq.do?projectId=6010&docId=44450&fromPage=details>
7. de Freitas, E. and C. Lausen. 2022. Year-round roost selection and thermoregulation of Silver-haired Bats in Smallwood-Garrity Area, Kootenay Lake. WCSC report for BC Ministry of Environment and Climate Change

Strategy. 9 pp.

<http://a100.gov.bc.ca/pub/siwe/sensDataReg.do?projectId=6010&docId=44447&fromPage=details>

8. Slough BG, Lausen CL, Paterson B, Hansen IJ, Thomas JP, Kukka PM, Jung TS, Rae J, De Wetering DV. 2022 New records about the diversity, distribution, and seasonal activity patterns by bats in Yukon and northwestern British Columbia. *Northwestern Naturalist* **103**. (doi:[10.1898/NWN21-10](https://doi.org/10.1898/NWN21-10))
9. Solick DI, Barclay RMR, Bishop-Boros L, Hays QR, Lausen CL. 2020 Distributions of eastern and western red bats in western North America. *Western North American Naturalist* **80**, 90. (doi:[10.3398/064.080.0111](https://doi.org/10.3398/064.080.0111))
10. Lawson KJ, Lausen CL, Mancuso KA, Volkmann LA, Gooliaff TJ, Hutchen J, Teichman KJ, Kelly AJ, Hodges KE. 2019 Bat activity and richness in beetle-killed forests in southern British Columbia. *Journal of Mammalogy* **100**, 510–517. (doi:[10.1093/jmammal/gyz034](https://doi.org/10.1093/jmammal/gyz034))
11. Nagorsen DW, Robertson I, Sarell M. 2014 Pre-construction bat activity at four wind energy sites in northeastern British Columbia. *Northwestern Naturalist* **95**, 300–311. (doi:[10.1898/13-09.1](https://doi.org/10.1898/13-09.1))
12. Nagorsen DW, Robertson I, Manky D. 2014 Acoustic evidence for Hoary Bat migration in the coast mountains of British Columbia. *Northwestern Naturalist* **95**, 50–54. (doi:<https://doi.org/10.1898/NWN13-15.1>)
13. Nagorsen DW, Paterson B. 2012 An Update on the Status of Red Bats, *Lasiurus blossevillii* and *Lasiurus borealis*, in British Columbia. *Northwestern Naturalist* **93**, 235–237. (doi:[10.1898/12-01.1](https://doi.org/10.1898/12-01.1))
14. Vonhof MJ, Betts BJ. 2010 Nocturnal activity patterns of lactating silver-haired bats (*Lasionycteris noctivagans*): the influence of roost-switching behavior. *Acta Chiropterologica* **12**, 283–291.
15. Andrusiak L. 2008 An unusual roosting location of a hoary bat (*Lasiurus cinereus*) in British Columbia. *Western Birds* **5**, 211–214. Available from: http://www.wildlifebc.org/pdfs/5_2_Andrusiak.pdf
16. Vonhof MJ, Gwilliam JC. 2007 Intra- and interspecific patterns of day roost selection by three species of forest-dwelling bats in Southern British Columbia. *Forest Ecology and Management* **252**, 165–175. (doi:[10.1016/j.foreco.2007.06.046](https://doi.org/10.1016/j.foreco.2007.06.046))
17. Kellner AME, Harestad AS. 2005 Diets of bats in coastal rainforests on Vancouver Island, British Columbia. *Northwestern Naturalist* **86**, 45–48. (doi:[10.1898/1051-1733\(2005\)086\[0045:DOBICR\]2.0.CO;2](https://doi.org/10.1898/1051-1733(2005)086[0045:DOBICR]2.0.CO;2))
18. Cryan PM. 2003 Seasonal distribution of migratory tree bats (*Lasiurus* and *Lasionycteris*) in North America. *Journal of Mammalogy* **84**, 579–593. (doi:[10.1644/1545-1542\(2003\)084<0579:SDOMTB>2.0.CO;2](https://doi.org/10.1644/1545-1542(2003)084<0579:SDOMTB>2.0.CO;2))
19. Vonhof MJ, Gwilliam JC. 2000 A summary of bat research in the Pend d'Oreille valley in southeastern British Columbia. *Nelson, BC: Columbia Basin Fish and Wildlife Compensation Program*
- Vonhof MJ, Barclay RMR. 1996 Roost-site selection and roosting ecology of forest-dwelling bats in southern British Columbia. *Can. J. Zool.* **74**, 1797–1805. (doi:[10.1139/z96-200](https://doi.org/10.1139/z96-200))
20. Dalquest WW. 1943 Seasonal distribution of the hoary bat along the Pacific Coast. *The Murrelet* **24**, 21. (doi:[10.2307/3534418](https://doi.org/10.2307/3534418))

Spotted bats, Pallid bats, and Big-eared Bats

1. Sanchez DE, Walker FM, Sobek CJ, Lausen C, Chambers CL. 2023 Once upon a time in Mexico: Holocene biogeography of the spotted bat (*Euderma maculatum*). *Plos one* **18**, e0274342. (doi:[10.1371/journal.pone.0274342](https://doi.org/10.1371/journal.pone.0274342))
2. McGuire LP, Fuller NW, Dzal YA, Haase CG, Silas KA, Willis CK, Olson SH, Lausen CL. 2022 Similar hibernation physiology in bats across broad geographic ranges. *Journal of Comparative Physiology B* **192**, 171–181. (doi:[10.1007/s00360-021-01400-x](https://doi.org/10.1007/s00360-021-01400-x))
3. Rambaldini DA, Brigham RM. 2011 Pallid bat (*Antrozous pallidus*) foraging over native and vineyard habitats in British Columbia, Canada. *Can. J. Zool.* **89**, 816–822. (doi:[10.1139/z11-053](https://doi.org/10.1139/z11-053))
4. Reid A, Hill T, Clark R, Gwilliam J, Krebs J. 2010 Roosting ecology of female townsend's big-eared bats (*Corynorhinus townsendii*) in south-eastern British Columbia: implications for conservation management. *Northwestern Naturalist* **91**, 215–218. (doi:<https://doi.org/10.1898/NWN09-08.1>)
5. Rambaldini DA. 2005 The ecology of torpor use by pallid bats (*Antrozous pallidus*) at the northern extreme of the species' range. Master's Thesis, University of Regina.
6. Chapman K, Brigham RM, McGuinness K. 1994 *Status of the pallid bat in British Columbia*. See <https://citeseerx.ist.psu.edu/document?repid=rep1&type=pdf&doi=ddc33b04c160dd9bdb02982b6e1a36be390bbccd>.

7. Garcia PFJ, Rasheed SA, Holroyd SL. 1995 *Status of the spotted bat in British Columbia*. Ministry of Environment, Lands and Parks, Wildlife Branch. See https://www.researchgate.net/publication/250221362_STATUS_OF_THE_WESTERN_SMALL-FOOTED_MYOTIS_IN_BRITISH_COLUMBIA.
8. Best TL. 1988 Morphologic variation in the spotted bat *Euderma maculatum*. *American Midland Naturalist* , 244–252.

COSEWIC Assessments

[Species at risk public registry](#)

- COSEWIC. 2023. COSEWIC assessment and status report on the Hoary Bat *Lasiurus cinereus*, Eastern Red Bat *Lasiurus borealis* and Silver-haired Bat, *Lasionycteris noctivagans*, in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xxi + 100 pp.
- COSEWIC. 2013. COSEWIC assessment and status report on the Little Brown Myotis *Myotis lucifugus*, Northern Myotis *Myotis septentrionalis* and Tri-colored Bat *Perimyotis subflavus* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xxiv + 93 pp. .
- COSEWIC. 2010. COSEWIC status appraisal summary on the Pallid Bat *Antrozous pallidus* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xiii pp.
- COSEWIC 2004. COSEWIC assessment and update status report on the spotted bat *Euderma maculatum* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. vii + 26 pp.

Annual Reports

British Columbia Community Bat Program

<https://bcbats.ca/bat-basics/community-bat-publications/>

- BC Community Bat Program. 2023. British Columbia Community Bat Program - Annual Bat Count (2012-2023). Available: https://bcbats.ca/attachments/Annual-Bat-Count-Summary-2023_24.pdf
- BC Community Bat Program. 2022. British Columbia Community Bat Program - Annual Bat Count (2012-2022). Available: <https://bcbats.ca/attachments/Annual-Bat-Count-Report-2022-23.pdf>
- BC Community Bat Program. 2021. British Columbia Community Bat Program - Annual Bat Count (2012-2021). Available: <https://bcbats.ca/attachments/Annual-Bat-Count-Summary-2021-22.pdf>
- BC Community Bat Program. 2020. British Columbia Community Bat Program - Annual Bat Count (2012-2020). Available: https://bcbats.ca/attachments/BC-Annual-Bat-Count-full-final-report-2020_21.pdf
- BC Community Bat Program. 2019. British Columbia Community Bat Program - Annual Bat Count (2012-2019). Available: http://bcbats.ca/attachments/BC_Annual_Bat_Count_Report_2019_20.pdf
- BC Community Bat Program. 2018. British Columbia Community Bat Program - Annual Bat Count (2012-2018). Available: <https://bcbats.ca/attachments/Annual-Bat-Count-Summary-201819.pdf>
- BC Community Bat Program. 2017. British Columbia Community Bat Program - Annual Bat Count (2012-2017). Available: <https://bcbats.ca/attachments/Annual%20Bat%20Count%20Summary%202012-2017.pdf>

Canadian Wildlife Health Cooperative

<https://www.cwhc-rcsf.ca/reports.php>

- Segers J, McBurney S, Jones M, Zimmer P, Joly D. 2023 The Canadian Wildlife Health Cooperative Annual National Bat Health Report–2023.
- Segers J, McBurney S, Jones M, Zimmer P, Joly D. 2022 The Canadian Wildlife Health Cooperative Annual National Bat Health Report–2022.
- Segers J, McBurney S, Jones M, Zimmer P, Joly D. 2021 The Canadian Wildlife Health Cooperative Annual National Bat Health Report–2021.
- Canadian Wildlife Health Cooperative. 2017 Regulatory Considerations for Control of Wildlife Disease: Bat White-nose Syndrome Treatment Regulations Overview. , 1–23.

North American Bat Monitoring Program

- Rae J, Lausen C. 2022 North American bat monitoring program in British Columbia: 2021 data summary and activity trend analysis (2016-2021). , 1–105.